

Peg hits > 2m

Hole ID	Land / Lake	Azimuth (°)	Dip (°)	From (m)	To (m)	Interval (m)	Hole ID	Land / Lake	Azimuth (°)	Dip (°)	From (m)	To (m)	Interval (m)			
CF21-001	Land	340	-45	23.0	171.6	148.7	CV22-057	Land	158	-45	23.0	30.6	7.5			
				179.1	182.8	3.8					41.1	56.4	15.3			
				199.7	213.4	13.7					67.9	70.6	2.7			
CF21-002	Land	340	-45	73.6	76.1	2.4	CV22-058	Land	158	-45	226.0	232.1	6.2			
				78.9	205.4	126.5					104.9	119.9	15.0			
				206.5	233.0	26.5					124.4	130.2	5.8			
CF21-003	Land	160	-45	22.0	81.1	59.1	CV22-059	Lake	158	-45	57.3	176.4	119.1			
CF21-004	Land	340	-45	38.0	101.6	63.6	CV22-060	Land	158	-45	304.9	319.9	15.0			
CF21-014	Land	203	-45	26.5	31.1	4.6	CV22-061	Land	158	-45	29.6	53.8	24.3			
				44.7	47.1	2.4					94.9	97.5	2.6			
				27.1	75.1	48.0					116.7	119.2	2.5			
CV22-015	Lake	158	-45	89.2	194.0	104.8	CV22-062	Land	158	-45	86.8	97.4	10.6			
CV22-016	Lake	158	-45	195.5	210.0	14.5	CV22-063	Land	158	-45	25.3	85.3	60.0			
				162.8	235.8	73.0					146.5	152.3	5.8			
				269.9	272.1	2.2					69.9	109.8	39.9			
CV22-018	Lake	158	-45	54.2	68.8	14.6	CV22-064	Lake	158	-53	174.3	189.6	15.3			
				73.3	82.4	9.1					77.4	119.5	42.2			
				108.5	207.3	98.9					141.5	143.6	2.1			
CV22-020	Lake	338	-45	38.8	50.1	11.3	CV22-065	Land	158	-45	160.5	178.3	17.8			
CV22-021	Lake	158	-45	68.8	72.0	3.3	CV22-066	Land	158	-48	183.4	212.5	29.1			
CV22-022	Lake	158	-45	33.1	53.8	20.7					215.2	219.4	4.3			
CV22-023	Lake	338	-45	117.9	120.6	2.7					220.2	231.1	10.9			
CV22-024	Lake	158	-45	45.5	66.4	20.8	CV22-067	Land	158	-45	240.5	246.7	6.2			
CV22-025	Lake	158	-45	22.7	85.3	62.6	CV22-068	Land	158	-45	248.8	252.9	4.1			
				90.6	97.5	6.8					313.8	321.8	8.0			
				33.9	36.6	2.7					7.2	42.0	34.8			
CV22-026	Lake	-	-90	47.1	54.8	7.6	CV22-069	Land	158	-65	54.7	74.6	19.9			
				56.3	59.4	3.1					168.6	171.5	2.9			
				71.8	147.0	75.2					54.1	62.9	8.7			
CV22-027	Lake	158	-45	37.4	51.7	14.3	162.1	275.5	113.4	CV22-070	Lake	158	-45	3.5	44.6	41.1
				55.1	107.5	52.4	3.5	44.6	41.1	2.5	25.2	22.7				
				132.0	232.9	100.9	188.5	191.7	3.2							
CV22-029	Lake	158	-45	64.4	127.1	62.8	CV22-071	Land	158	-45	56.3	61.6	5.3			
CV22-030	Lake	158	-45	86.4	222.1	135.7	CV22-072	Lake	158	-45	71.0	86.6	15.7			
				226.6	239.2	12.6					205.8	251.0	45.3			
				107.9	195.2	87.3					315.7	318.9	3.2			
CV22-031	Lake	158	-45	19.8	25.0	5.1	CV22-073	Land	158	-52	83.2	88.3	5.1			
				128.7	145.5	16.8					163.0	194.2	31.2			
				149.3	194.7	45.4					199.4	201.6	2.1			
CV22-034	Land	158	-55	173.5	178.9	5.4	CV22-074	Land	158	-45	8.0	21.8	13.8			
				183.4	187.3	3.9					96.9	101.4	4.5			
				237.3	255.0	17.7					183.4	189.8	6.4			
CV22-035	Land	158	-45	273.2	277.3	4.0	CV22-075	Lake	158	-45	71.7	74.5	2.8			
				323.1	326.7	3.6					144.5	169.2	24.6			
				0.78	3.3	2.5					194.2	204.2	10.0			
CV22-036	Land	158	-45	123.9	223.8	100.0	344.6	354.6	10.0	CV22-076	Land	158	-45	445.4	451.0	5.6
				176.5	183.8	7.3	CV22-077	Land	200	-45	82.9	85.0	2.1			
				193.1	211.3	18.2	170.4	187.3	16.9							
CV22-037	Land	158	-45	232.7	238.1	5.4	CV22-078	Land	158	-65	198.9	208.1	9.2			
				249.3	252.3	3.0					255.4	259.5	4.1			
				260.6	287.6	27.0					288.2	290.7	2.4			
CV22-038	Land	158	-45	320.8	324.0	3.1	CV22-079	Land	158	-45	96.5	137.7	41.3			
				35.6	46.1	10.6					141.9	150.9	9.0			
				145.2	157.2	12.0					205.9	211.2	5.3			
CV22-039	Land	158	-45	184.8	197.2	12.4	CV22-080	Lake	158	-45	293.3	304.7	11.4			
				214.0	273.3	59.3					331.8	334.8	3.0			
				30.4	39.2	8.8					14.6	18.1	3.5			
CV22-040	Land	158	-45	138.0	178.5	40.5	CV22-081	Land	200	-80	2.8	18.3	15.6			
				186.8	191.3	4.4	CV22-082	Land	200	-45	26.5	35.7	9.2			
				214.0	275.9	61.9	173.3	176.3	2.9							
CV22-041	Land	158	-45	303.6	371.6	68.0	CV22-083	Land	158	-65	177.9	180.2	2.3			
				377.3	383.9	6.6					42.7	49.0	6.3			
				52.9	63.2	10.3					176.4	333.4	156.9			
CV22-042	Land	158	-65	163.9	201.6	37.7	CV22-084	Land	200	-80	26.9	34.3	7.4			
				54.8	59.8	5.1					134.8	143.2	8.4			
				131.8	291.5	159.7					27.7	31.9	4.2			
CV22-043	Land	158	-59	201.5	206.3	4.8	CV22-085	Land	200	-45	167.4	175.4	8.1			
				258.6	262.2	3.7					74.3	76.8	2.5			
				319.4	342.2	22.7					83.4	86.2	2.8			
CV22-044	Land	158	-45	422.9	425.1	2.2	CV22-088	Land	140	-45	28.7	34.6	5.9			
				136.0	142.7	6.7					165.5	168.3	2.8			
				244.4	330.7	86.2					88.2	92.4	4.3			
CV22-045	Land	158	-45	215.6	242.2	26.6	CV22-089	Lake	158	-45	77.7	80.4	2.6			
				266.7	268.8	2.1					157.4	160.5	3.1			
				311.9	336.3	24.4					184.1	190.6	6.5			
CV22-046	Land	158	-50	207.7	209.7	2.0	CV22-090	Land	158	-45	242.7	261.3	18.7			
				213.9	218.7	4.8					41.2	50.9	9.7			
				408.7	415.1	6.4					29.3	51.9	22.6			
CV22-048	Land	158	-45	439.8	449.4	9.6	CV22-092	Land	145	-45	29.3	51.9	22.6			
				181.3	228.7	47.4	CV22-093	Geological log pending								
				312.9	320.5	7.6	CV22-094	Geological log pending								
CV22-049	Land	158	-45	390.1	425.8	35.7	CV22-095	Geological log pending								
				428.8	434.4	5.6	CV22-096	Geological log pending								
				141.3	237.3	96.0										
CV22-050	Land	158	-60	178.2	207.6	29.3										
CV22-052	Land	158	-45	124.7	229.3	104.5										
CV22-053	Lake	158	-45	88.4	189.8	101.4										
CV22-054	Land	158	-58	32.0	35.8	3.8										
				40.6	66.0	25.4										
				73.8	81.0	7.2										
CV22-055	Land	158	-60	167.4	202.9	35.5										
CV22-056	Lake	158	-45	96.8	186.3	89.5										

(1) All intervals are core length.

(2) Hole called in spodumene pegmatite to comply with regional request to pause exploration activities for

Pegmatite DDH Attributes

Hole ID	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing
CF21-001	229.1	340	-45	570312.0	5930632.4
CF21-002	274.2	340	-45	570417.4	5930652.0
CF21-003	106.1	160	-45	570284.8	5930718.2
CF21-004	148.3	340	-45	569797.9	5930446.4
CF21-014	114	203	-45	561765.0	5929469.1
CV22-015	176.9	158	-45	570514.7	5930803.9
CV22-016	252.1	158	-45	570476.4	5930897.7
CV22-017	344.7	158	-45	571422.5	5931224.6
CV22-018	149.9	158	-45	570604.1	5930841.2
CV22-019	230.9	158	-45	570573.7	5930929.8
CV22-020	203.8	338	-45	571532.0	5931099.6
CV22-021	246.0	158	-45	571533.1	5931095.7
CV22-022	184.0	158	-45	570695.2	5930878.2
CV22-023	285.0	338	-45	571202.6	5930974.2
CV22-024	156.0	158	-45	570791.5	5930912.6
CV22-025	153.0	158	-45	570883.9	5930953.5
CV22-026	156.0	-	-90	571203.1	5930973.7
CV22-027	150.1	158	-45	570976.2	5930991.9
CV22-028	291.0	158	-45	570940.9	5931083.5
CV22-029	165.0	158	-45	571068.2	5931036.9
CV22-030	258.0	158	-45	570385.1	5930855.6
CV22-031	231.0	158	-45	570849.7	5931043.2
CV22-032	120.6	158	-45	570138.4	5930800.9
CV22-033	261.1	158	-45	571349.6	5931146.9
CV22-034	329.8	158	-55	570138.4	5930801.6
CV22-035	281.0	158	-45	571233.8	5931157.5
CV22-036	334.8	158	-45	570041.9	5930778.2
CV22-037	311.0	158	-45	571441.5	5931177.6
CV22-038	316.8	158	-45	569940.4	5930729.6
CV22-039	256.9	158	-45	571398.5	5931163.6
CV22-040	403.8	158	-45	569853.1	5930698.0
CV22-041	295.9	158	-45	571487.3	5931201.3
CV22-042	393.0	158	-65	571487.1	5931201.7
CV22-043	513.6	158	-59	569853.0	5930698.2
CV22-044	414.5	158	-45	571378.4	5931326.0
CV22-045	377.4	158	-45	569764.1	5930673.7
CV22-046	463.9	158	-50	570343.7	5930959.1
CV22-047	554.1	158	-59	571378.5	5931326.2
CV22-048	449.2	158	-45	570257.0	5930903.3
CV22-049	304.8	158	-45	571132.3	5931145.9
CV22-050	339.0	158	-60	571132.6	5931146.4
CV22-051	520.8	158	-58	570158.5	5930876.4
CV22-052	284.8	158	-45	571042.1	5931111.4
CV22-053	218.5	158	-45	570756.9	5930998.2
CV22-054	126.4	158	-58	570014.4	5930567.1
CV22-055	320.0	158	-60	571042.1	5931111.7
CV22-056	241.9	158	-45	570678.6	5930970.9
CV22-057	443.1	158	-45	570014.4	5930566.9
CV22-058	299.0	158	-45	571169.8	5931057.3
CV22-059	352.9	158	-45	570300.2	5930796.4
CV22-060	147.1	158	-45	570148.9	5930635.1
CV22-061	340.9	158	-45	571279.4	5931068.3
CV22-062	220.8	158	-45	570233.0	5930693.9
CV22-063	325.4	158	-45	571580.8	5931234.3
CV22-064	340.7	158	-53	570199.3	5930782.3
CV22-065	242.0	158	-45	570331.7	5930722.3
CV22-066	437.0	158	-48	571560.0	5931300.0
CV22-067	281.1	158	-45	570426.4	5930755.6
CV22-068	233.0	158	-45	569930.0	5930522.4
CV22-069	494.1	158	-65	571560.6	5931295.6
CV22-070	297.4	158	-45	570118.7	5930731.4
CV22-071	377.0	158	-45	569827.9	5930505.3
CV22-072	404.0	158	-45	570080.9	5930689.0
CV22-073	541.9	158	-52	571274.6	5931307.1
CV22-074	398.0	158	-45	569719.7	5930500.1
CV22-075	372.4	158	-45	569987.6	5930639.4
CV22-076	161.0	158	-45	571349.0	5930872.5
CV22-077	209.0	200	-45	564974.5	5927821.5
CV22-078	163.8	158	-65	571348.8	5930872.4
CV22-079	425.0	158	-45	571661.1	5931296.1
CV22-080	359.0	158	-45	569929.5	5930618.7
CV22-081	50.0	200	-80	564974.4	5927822.2
CV22-082	186.7	200	-45	565010.2	5927856.7
CV22-083	440.0	158	-65	571660.9	5931296.4
CV22-084	247.8	200	-80	565010.3	5927857.6
CV22-085	201.1	200	-45	565050.0	5927857.9
CV22-086	200.0	158	-45	571400.8	5931070.6
CV22-087	461.0	158	-45	571192.0	5931275.1
CV22-088	185.0	140	-45	565052.8	5927858.4
CV22-089	251.0	158	-45	571636.1	5931142.4
CV22-090	416.0	158	-45	571743.8	5931362.1
CV22-091	200.0	135	-45	565249.5	5928035.3
CV22-092	260.0	145	-45	565267.4	5928079.4
CV22-093	407.0	158	-65	571743.5	5931362.3
CV22-094	Still coring as of October 5, 2022				
CV22-095	59.0	145	-65	565266.9	5928080.0

(1) Coordinate system NAD83 / UTM zone 18N

(2) All drill holes are NQ core size

(3) Total Depth presented for CV22-090, 092, 093, and 095 based on quicklogs and, therefore, may change slightly following final logging

2021 Core Assay Summary

Target	Land / Lake	Hole ID	From (m)	To (m)	Interval (m)	Li ₂ O (%)	Ta ₂ O ₅ (ppm)	Total Depth (m)	Azimuth (°)	Dip (°)	Date Reported
CV5 Pegmatite Corridor	Land	CF21-001	26.0	172.8	146.8	0.93	114	229.1	340	-45	29-Nov-2021
		<i>including</i>	26.0	99.0	73.0	1.09	108				
		<i>or</i>	79.0	99.0	20.0	1.83	108				
		<i>or</i>	86.0	93.0	7.0	2.29	130				
		<i>including</i>	118.2	172.8	54.6	1.04	145				
		<i>or</i>	142.1	150.0	7.9	1.96	157				
		<i>or</i>	165.0	171.6	6.6	2.22	150				
		202.0	213.4	11.5	1.39	107					
	Land	CF21-002	77.9	233.0	155.1	0.94	117	274.2	340	-45	27-Jan-2022
		<i>including</i>	78.9	87.0	8.1	1.48	119				
		<i>including</i>	124.0	162.0	38.0	1.38	160				
		<i>or</i>	157.0	162.0	5.0	3.91	308				
		<i>including</i>	189.0	233.0	44.0	1.14	104				
	Land	CF21-003	23.0	81.1	58.1	1.25	194	106.1	160	-45	3-Feb-2022
		<i>including</i>	27.0	60.0	33.0	1.80	264				
	Land	CF21-004	38.0	101.6	63.6 ⁽³⁾	0.64	223	148.3	340	-45	3-Feb-2022
<i>including</i>		41.0	71.0	30.0	1.13	180					
<i>or</i>		41.0	51.0	10.0	1.69	210					
<i>or</i>		90.0	101.6	11.6 ⁽³⁾	0.02	403					
CV12 Pegmatite	Land	CF21-014	27.7	32.8	5.1	0.60	121	114	203	-45	8-Mar-2022
		<i>including</i>	32.3	32.8	0.4	2.78	192				
			70.3	70.7	0.4	0.38	5300				

(1) All drill holes are NQ core size; (2) All intervals are core length. True width of intervals is not confirmed. Geological modelling is ongoing.

(3) Sample at depth of 94 - 95 m is missing assay, and therefore, a zero value for Li and Ta has been inserted to allow for full interval calculation.

2022 Core Assay Summary

Target	Land / Lake	Hole ID	From (m)	To (m)	Interval (m)	Li ₂ O (%)	Ta ₂ O ₅ (ppm)	Total Depth (m)	Azimuth (°)	Dip (°)	Date Reported
CV5 Pegmatite Corridor	Lake	CV22-015	27.1	75.1	48.0	0.44	76	176.9	158	-45	17-May-2022
		<i>incl.</i>	27.1	32.0	4.9	1.14	96				
		<i>incl.</i>	51.5	58.3	6.8	1.22	113				
		<i>incl.</i>	70.6	75.1	4.5	0.99	105				
	Lake	CV22-016	89.2	194.0	104.8	0.59	114	252.1	158	-45	17-May-2022
		<i>incl.</i>	91.0	120.0	29.0	0.91	127				
		<i>Incl.</i>	134.5	147.6	13.1	1.53	137				
			195.5	210.0	14.5	0.92	118				
	Lake	CV22-017	162.8	235.8	73.0	2.14	145	344.7	158	-45	25-May-2022
		<i>incl.</i>	165.7	185.0	19.4	1.57	148				
		<i>incl.</i>	190.4	231.0	40.7	3.01	160				
			269.9	272.1	2.2	0.02	94				
	Lake	CV22-018	54.2	82.4	28.2⁽⁵⁾	0.94	106	149.9	158	-45	17-May-2022
	Lake	CV22-019	108.5	207.3	98.9	0.79	118	230.9	158	-45	17-May-2022
		<i>incl.</i>	110.2	144.0	33.8	1.17	111				
		<i>incl.</i>	192.0	204.0	12.0	1.23	103				
	Lake	CV22-020	38.8	50.1	11.3	0.98	153	203.8	338	-45	13-Jun-2022
		<i>incl.</i>	38.8	46.0	7.3	1.41	130				
	Lake	CV22-021	68.8	72.0	3.3	0.24	123	246.0	158	-45	13-Jun-2022
	Lake	CV22-022	33.1	53.8	20.7	0.50	142	184.0	158	-45	13-Jun-2022
		<i>incl.</i>	34.0	37.0	3.0	1.76	115				
			77.3	80.9	3.7	0.05	61				
	Lake	CV22-023	117.9	120.6	2.7	0.30	51	285.0	338	-45	13-Jun-2022
	Lake	CV22-024	45.5	66.4	20.8	1.16	132	156.0	158	-45	13-Jun-2022
		<i>incl.</i>	46.5	65.0	18.5	1.26	121				
	Lake	CV22-025	22.7	85.3	62.6	1.15	154	153.0	158	-45	13-Jun-2022
		<i>incl.</i>	61.9	72.0	10.2	2.76	341				
			90.6	97.5	6.8	0.16	73				
	Lake	CV22-026	33.9	36.6	2.7	0.97	141	156.0	N/A	-90	13-Jun-2022
			47.1	54.8	7.6	0.26	93				
			56.3	59.4	3.1	0.10	75				
			71.8	147.0	75.2	0.68	151				
		<i>incl.</i>	73.8	103.0	29.3	1.14	156				
	Lake	CV22-027	37.4	51.7	14.3	0.82	146	150.1	158	-45	13-Jun-2022
			55.1	107.5	52.4	0.97	124				
		<i>incl.</i>	63.9	90.5	26.6	1.39	125				
	Lake	CV22-028	132.0	232.9	100.9	1.24	164	291.0	158	-45	23-Jun-2022
		<i>incl.</i>	173.0	217.0	44.0	2.17	187				
		<i>or</i>	201.0	210.0	9.0	3.62	200				
	Lake	CV22-029	64.4	127.1	62.8	0.61	117	165.0	158	-45	23-Jun-2022
		<i>incl.</i>	64.4	95.9	31.6	0.95	158				
		<i>or</i>	90.5	95.9	5.4	2.90	356				
Lake	CV22-030	86.4	239.2	152.8⁽⁵⁾	1.22	138	258.0	158	-45	23-Jun-2022	
	<i>incl.</i>	164.0	230.0	66.0	1.51	100					
Lake	CV22-031	107.9	195.2	87.3	0.61	113	231.0	158	-45	13-Jun-2022	
	<i>incl.</i>	109.0	142.5	33.5	1.25	185					
	<i>incl.</i>	114.0	119.0	5.0	2.90	384					
Land	CV22-032	<i>Hole lost prior due to drilling conditions</i>						120.6	158	-45	-
Land	CV22-033	19.8	25.0	5.1	0.60	146	261.1	158	-45	13-Jun-2022	
		128.7	145.5	16.8	1.03	127					
	<i>incl.</i>	133.7	144.5	10.8	1.51	166					
		149.3	194.7	45.4	0.20	77					
Land	CV22-034	173.5	178.9	5.4	0.79	100	329.8	158	-55	23-Jun-2022	
		183.4	187.3	3.9	0.53	142					
		237.3	255.0	17.7	0.82	56					
		273.2	277.3	4.0	1.03	91					
		323.1	326.7	3.6	0.30	53					

(1) All drill holes are NQ core size; (2) All intervals are core length. True width of intervals is not confirmed. Geological modelling is ongoing.

(3) Azimuths and dips presented are those 'planned' and may vary off collar and downhole; (4) Collared in lithium pegmatite

(5) Includes minor intervals of non-pegmatite units

2022 Core Assay Summary

Target	Land / Lake	Hole ID	From (m)	To (m)	Interval (m)	Li ₂ O (%)	Ta ₂ O ₅ (ppm)	Total Depth (m)	Azimuth (°)	Dip (°)	Date Reported	
CV5 Pegmatite Corridor	Land	CV22-035	0.8	3.3	2.5 ⁽¹⁾	0.62	155	281.0	158	-45	28-Jul-2022	
			123.9	223.8	100.0	1.22	117					
			<i>incl.</i>	185.5	212.5	27.0	2.53					130
			<i>or</i>	202.5	212.5	10.0	3.29					177
	Land	CV22-036	176.5	183.8	7.3	2.00	167	334.8	158	-45	28-Jul-2022	
			193.1	211.3	18.2	0.17	105					
			232.7	238.1	5.4	1.35	63					
			249.3	252.3	3.0	0.27	70					
			260.6	287.6	27.0	1.38	99					
			320.8	324.0	3.1	0.06	145					
	Land	CV22-037	35.6	46.1	10.6	0.63	177	311.0	158	-45	31-Aug-2022	
			<i>incl.</i>	40.0	44.2	4.2	1.21					232
			145.2	197.2	52.0 ⁽⁵⁾	0.41	129					
		<i>incl.</i>	149.8	155.0	5.2	1.49	169					
	Land	CV22-038	214.0	273.3	59.3	1.42	106	316.8	158	-45	31-Aug-2022	
			234.8	242.0	7.2	2.06	141					
	Land	CV22-039	30.4	39.2	8.8	0.97	134	256.9	158	-45	31-Aug-2022	
			138.0	178.5	40.5	0.56	158					
			<i>incl.</i>	141.0	151.8	10.8	1.55					244
			186.8	191.3	4.4	0.06	258					
	Land	CV22-040	214.0	275.9	61.9	1.42	99	403.8	158	-45	12-Oct-2022	
			<i>incl.</i>	215.0	245.0	30.0	2.00					117
			303.6	371.6	68.0	0.87	110					
			<i>incl.</i>	311.0	363.0	52.0	1.01					113
			377.3	383.9	6.6	0.03	143					
	Land	CV22-041	52.9	63.2	10.3	1.42	123	295.9	158	-45	12-Oct-2022	
			163.9	201.6	37.7	0.22	257					
	Land	CV22-042	54.8	59.8	5.1	0.67	340	393.0	158	-65	31-Aug-2022	
			131.8	291.5	159.7	1.65	193					
			<i>incl.</i>	238.5	275.5	37.0	3.04					209
		<i>or</i>	249.5	258.5	9.0	4.12	162					
	Land	CV22-043	201.5	206.3	4.8	0.40	216	513.6	158	-59	31-Aug-2022	
			258.6	262.2	3.7	1.57	62					
			319.4	342.2	22.7	1.68	91					
			<i>incl.</i>	327.5	334.5	7.0	3.13					75
			422.9	425.1	2.2	0.01	53					
	Land	CV22-044	136.0	142.7	6.7	1.89	91	414.5	158	-45	31-Aug-2022	
			244.4	330.7	86.2	2.13	163					
			<i>incl.</i>	308.5	326.5	18.0	3.07					265
	Land	CV22-045	215.6	242.2	26.6	1.26	150	377.4	158	-45	12-Oct-2022	
			266.7	268.8	2.1	0.04	215					
			311.9	336.3	24.4	0.24	117					
	Land	CV22-046	Core assays pending					463.9	158	-50	-	
	Land	CV22-047	No appreciable mineralization					554.1	158	-59	12-Oct-2022	
	Land	CV22-048	181.3	228.7	47.4	1.42	88	449.2	158.0	-45	12-Oct-2022	
			<i>incl.</i>	188.0	209.0	21.0	1.96					105
			312.9	320.5	7.6	1.61	135					
			390.1	425.8	35.7	0.67	88					
			<i>incl.</i>	414.0	425.8	11.8	1.10					83
			428.8	434.4	5.6	0.77	83					
Land	CV22-049	141.3	237.3	96.0	0.92	111	304.8	158	-45	12-Oct-2022		
		<i>incl.</i>	178.2	224.5	46.3	1.41					157	
		<i>or</i>	212.0	224.5	12.5	2.62					303	
Land	CV22-050	178.2	207.6	29.3	1.79	190	339.0	158	-60	12-Oct-2022		
		<i>incl.</i>	179.0	201.5	22.5	2.29					159	
Land	CV22-051	No appreciable mineralization					520.8	158	-58	12-Oct-2022		
Land	CV22-052	124.7	229.3	104.5	0.97	128	284.8	158	-45	12-Oct-2022		
		<i>incl.</i>	158.7	210.7	51.9	1.52					104	
		<i>or</i>	181.7	202.5	20.8	2.45					146	
Lake	CV22-053	88.4	189.8	101.4	0.57	121	218.5	158	-45	12-Oct-2022		
		<i>incl.</i>	107.3	138.0	30.7	1.05					136	
Land	CV22-054	32.0	35.8	3.8	0.79	311	126.4	158	-58	12-Oct-2022		
		40.6	66.0	25.4	1.31	167						
		73.8	81.0	7.2	1.12	243						
Land	CV22-055	Core assays pending					320.0	158	-60	-		
Lake	CV22-056	96.8	186.3	89.5	0.50	160	241.9	158	-45	12-Oct-2022		
		<i>incl.</i>	102.8	112.3	9.6	1.14					198	
		<i>incl.</i>	129.1	138.0	8.9	1.61					233	

(1) All drill holes are NQ core size; (2) All intervals are core length. True width of intervals is not confirmed. Geological modelling is ongoing.

(3) Azimuths and dips presented are those 'planned' and may vary off collar and downhole; (4) Collared in lithium pegmatite

(5) Includes minor intervals of non-pegmatite units