

Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CF21-001	Land	229.1	340	-45	570312.0	5930632.4	382.9	NQ	CV5	
CF21-002	Land	274.2	340	-45	570417.4	5930652.0	382.9	NQ	CV5	
CF21-003	Land	106.1	160	-45	570284.8	5930718.2	377.5	NQ	CV5	
CF21-004	Land	148.3	340	-45	569797.9	5930446.4	379.7	NQ	CV5	
CF21-014	Land	114.0	203	-45	561765.0	5929469.1	432.6	NQ	CV12	
CV22-015	Ice	176.9	158	-45	570514.7	5930803.9	372.8	NQ	CV5	
CV22-016	Ice	252.1	158	-45	570476.4	5930897.7	372.9	NQ	CV5	
CV22-017	Ice	344.7	158	-45	571422.5	5931224.6	372.9	NQ	CV5	
CV22-018	Ice	149.9	158	-45	570604.1	5930841.2	372.9	NQ	CV5	
CV22-019	Ice	230.9	158	-45	570573.7	5930929.8	373.0	NQ	CV5	
CV22-020	Ice	203.8	338	-45	571532.0	5931099.6	372.9	NQ	CV5	
CV22-021	Ice	246.0	158	-45	571533.1	5931095.7	372.9	NQ	CV5	
CV22-022	Ice	184.0	158	-45	570695.2	5930878.2	372.9	NQ	CV5	
CV22-023	Ice	285.0	338	-45	571202.6	5930974.2	372.8	NQ	CV5	
CV22-024	Ice	156.0	158	-45	570791.5	5930912.6	372.7	NQ	CV5	
CV22-025	Ice	153.0	158	-45	570883.9	5930953.5	372.8	NQ	CV5	
CV22-026	Ice	156.0	0	-90	571203.1	5930973.7	372.8	NQ	CV5	
CV22-027	Ice	150.1	158	-45	570976.2	5930991.9	372.8	NQ	CV5	
CV22-028	Ice	291.0	158	-45	570940.9	5931083.5	372.9	NQ	CV5	
CV22-029	Ice	165.0	158	-45	571068.2	5931036.9	372.6	NQ	CV5	
CV22-030	Ice	258.0	158	-45	570385.1	5930855.6	372.8	NQ	CV5	
CV22-031	Ice	231.0	158	-45	570849.7	5931043.2	372.7	NQ	CV5	
CV22-032	Land	120.6	158	-45	570138.4	5930800.9	380.6	NQ	CV5	
CV22-033	Land	261.1	158	-45	571349.6	5931146.9	376.3	NQ	CV5	
CV22-034	Land	329.8	158	-55	570138.4	5930801.6	380.8	NQ	CV5	
CV22-035	Land	281.0	158	-45	571233.8	5931157.5	378.2	NQ	CV5	
CV22-036	Land	334.8	158	-45	570041.9	5930778.2	379.9	NQ	CV5	
CV22-037	Land	311.0	158	-45	571441.5	5931177.6	377.3	NQ	CV5	
CV22-038	Land	316.8	158	-45	569940.4	5930729.6	377.1	NQ	CV5	
CV22-039	Land	256.9	158	-45	571398.5	5931163.6	377.0	NQ	CV5	
CV22-040	Land	403.8	158	-45	569853.1	5930698.0	375.6	NQ	CV5	
CV22-041	Land	295.9	158	-45	571487.3	5931201.3	379.2	NQ	CV5	
CV22-042	Land	393.0	158	-65	571487.1	5931201.7	379.1	NQ	CV5	
CV22-043	Land	513.6	158	-59	569853.0	5930698.2	375.5	NQ	CV5	
CV22-044	Land	414.5	158	-45	571378.4	5931326.0	379.1	NQ	CV5	
CV22-045	Land	377.4	158	-45	569764.1	5930673.7	377.3	NQ	CV5	
CV22-046	Land	463.9	158	-50	570343.7	5930959.1	383.3	NQ	CV5	
CV22-047	Land	554.1	158	-59	571378.5	5931326.2	378.9	NQ	CV5	
CV22-048	Land	449.2	158	-45	570257.0	5930903.3	381.1	NQ	CV5	
CV22-049	Land	304.8	158	-45	571132.3	5931145.9	376.5	NQ	CV5	
CV22-050	Land	339.0	158	-60	571132.6	5931146.4	376.4	NQ	CV5	
CV22-051	Land	520.8	158	-58	570158.5	5930876.4	382.2	NQ	CV5	
CV22-052	Land	284.8	158	-45	571042.1	5931111.4	375.5	NQ	CV5	
CV22-053	Water	218.5	158	-45	570756.9	5930998.2	373.1	NQ	CV5	
CV22-054	Land	126.4	158	-58	570014.4	5930567.1	378.9	NQ	CV5	
CV22-055	Land	320.0	158	-60	571042.1	5931111.7	375.5	NQ	CV5	
CV22-056	Water	241.9	158	-45	570678.6	5930970.9	373.3	NQ	CV5	
CV22-057	Land	443.1	158	-45	570014.4	5930566.9	379.0	NQ	CV5	
CV22-058	Land	299.0	158	-45	571169.8	5931057.3	376.4	NQ	CV5	
CV22-059	Water	352.9	158	-45	570300.2	5930796.4	373.2	NQ	CV5	
CV22-060	Land	147.1	158	-45	570148.9	5930635.1	383.4	NQ	CV5	
CV22-061	Land	340.9	158	-45	571279.4	5931068.3	378.9	NQ	CV5	
CV22-062	Land	220.8	158	-45	570233.0	5930693.9	375.8	NQ	CV5	
CV22-063	Land	325.4	158	-45	571580.8	5931234.3	376.5	NQ	CV5	
CV22-064	Water	340.7	158	-53	570199.3	5930782.3	373.2	NQ	CV5	
CV22-065	Land	242.0	158	-45	570331.7	5930722.3	381.7	NQ	CV5	
CV22-066	Land	437.0	158	-48	571560.9	5931295.4	377.0	NQ	CV5	
CV22-067	Land	281.1	158	-45	570430.5	5930741.1	380.0	NQ	CV5	
CV22-068	Land	233.0	158	-45	569930.0	5930522.4	378.2	NQ	CV5	

Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CV22-069	Land	494.1	158	-65	571560.6	5931295.6	377.0	NQ	CV5	
CV22-070	Water	297.4	158	-45	570118.7	5930731.4	373.2	NQ	CV5	
CV22-071	Land	377.0	158	-45	569827.9	5930505.3	377.5	NQ	CV5	
CV22-072	Water	404.0	158	-45	570080.9	5930689.0	373.2	NQ	CV5	
CV22-073	Land	541.9	158	-52	571274.6	5931307.1	381.4	NQ	CV5	
CV22-074	Land	398.0	158	-45	569719.7	5930500.1	385.9	NQ	CV5	
CV22-075	Water	372.4	158	-45	569987.6	5930639.4	373.7	NQ	CV5	
CV22-076	Land	161.0	158	-45	571349.0	5930872.5	377.7	NQ	CV5	
CV22-077	Land	209.0	200	-45	564974.5	5927821.5	390.9	NQ	CV13	
CV22-078	Land	163.8	158	-65	571348.8	5930872.4	377.4	NQ	CV5	
CV22-079	Land	425.0	158	-45	571661.1	5931296.1	379.5	NQ	CV5	
CV22-080	Water	359.0	158	-45	569929.5	5930618.7	374.3	NQ	CV5	
CV22-081	Land	50.0	200	-80	564974.4	5927822.2	390.9	NQ	CV13	
CV22-082	Land	186.7	200	-45	565010.2	5927856.7	398.5	NQ	CV13	
CV22-083	Land	440.0	158	-65	571660.9	5931296.4	379.5	NQ	CV5	
CV22-084	Land	247.8	200	-80	565010.3	5927857.6	398.5	NQ	CV13	
CV22-085	Land	201.1	200	-45	565050.0	5927857.9	399.2	NQ	CV13	
CV22-086	Water	200.0	158	-45	571400.8	5931070.6	373.6	NQ	CV5	
CV22-087	Land	461.0	158	-45	571192.0	5931275.1	380.1	NQ	CV5	
CV22-088	Land	185.0	140	-45	565052.8	5927858.4	399.0	NQ	CV13	
CV22-089	Water	251.0	158	-45	571636.1	5931142.4	373.1	NQ	CV5	
CV22-090	Land	416.0	158	-45	571743.8	5931362.1	378.3	NQ	CV5	
CV22-091	Land	200.0	135	-45	565249.5	5928035.3	429.6	NQ	CV13	
CV22-092	Land	260.0	145	-45	565267.4	5928079.4	434.6	NQ	CV13	
CV22-093	Land	408.2	158	-65	571743.5	5931362.3	378.3	NQ	CV5	
CV22-094	Land	320.0	158	-45	571087.1	5931259.2	382.9	NQ	CV5	
CV22-095	Land	58.9	145	-65	565266.9	5928080.0	434.7	NQ	CV13	
CV22-096	Land	218.0	140	-45	565731.7	5928451.9	386.0	NQ	CV13	
CV22-097	Land	506.1	158	-72	571644.7	5931342.7	378.5	NQ	CV5	
CV22-098	Land	374.0	158	-45	570791.5	5931143.5	380.7	NQ	CV5	
CV22-099	Land	248.1	140	-45	565795.5	5928473.1	382.7	NQ	CV13	
CV22-100	Land	458.0	158	-45	571472.6	5931356.6	376.6	NQ	CV5	
CV22-101	Land	245.1	140	-65	565795.1	5928473.5	382.7	NQ	CV13	
CV22-102	Land	393.2	158	-45	570626.6	5931060.4	378.5	NQ	CV5	
CV22-103	Land	269.0	200	-45	564406.1	5927962.1	403.8	NQ	CV13	
CV22-104	Land	68.0	200	-65	564406.1	5927962.5	403.7	NQ	CV13	
CV23-105	Land	452.0	158	-65	571832.1	5931386.7	376.5	NQ	CV5	
CV23-106	Land	491.0	158	-65	571929.5	5931439.0	377.8	NQ	CV5	
CV23-107	Land	428.2	158	-65	572027.0	5931475.3	374.5	NQ	CV5	
CV23-108	Land	461.0	158	-65	572118.4	5931506.1	374.0	NQ	CV5	
CV23-109	Land	392.1	158	-45	571832.3	5931386.2	376.5	NQ	CV5	
CV23-110	Land	431.0	158	-45	571866.1	5931434.5	375.7	NQ	CV5	
CV23-111	Land	356.0	158	-45	572027.2	5931474.7	374.4	NQ	CV5	
CV23-112	Land	377.1	158	-45	571929.7	5931438.5	377.8	NQ	CV5	
CV23-113	Land	389.0	158	-45	572118.5	5931505.7	374.2	NQ	CV5	
CV23-114	Land	500.1	158	-55	571865.9	5931434.7	375.7	NQ	CV5	
CV23-115	Land	431.1	158	-45	572056.8	5931529.0	373.0	NQ	CV5	
CV23-116	Land	476.0	158	-65	572214.5	5931532.1	373.5	NQ	CV5	
CV23-117	Land	566.1	158	-75	571865.9	5931434.7	375.7	NQ	CV5	
CV23-118	Land	437.1	158	-45	572214.8	5931531.4	373.4	NQ	CV5	
CV23-119	Land	389.0	158	-45	572099.4	5931442.2	373.8	NQ	CV5	
CV23-120	Land	443.0	158	-45	572150.2	5931552.7	376.5	NQ	CV5	
CV23-121	Land	454.7	158	-48	571782.1	5931402.9	377.0	NQ	CV5	
CV23-122	Land	403.9	158	-45	572167.6	5931496.0	375.3	NQ	CV5	
CV23-123	Land	386.0	158	-45	571997.7	5931407.9	374.2	NQ	CV5	
CV23-124	Land	653.0	158	-45	571955.3	5931497.9	374.4	NQ	CV5	
CV23-125	Land	545.0	158	-65	572647.7	5931670.5	382.4	NQ	CV5	
CV23-126	Land	83.1	158	-47	571680.9	5931383.6	375.3	NQ	CV5	Hole lost
CV23-127	Land	548.0	158	-59	571680.9	5931383.8	375.3	NQ	CV5	

Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CV23-128	Land	362.0	158	-45	571212.0	5931077.7	376.5	NQ	CV5	
CV23-129	Land	380.0	158	-45	571100.3	5931096.5	375.6	NQ	CV5	
CV23-130	Land	377.0	158	-45	571171.8	5931167.6	374.9	NQ	CV5	
CV23-131	Ice	454.9	158	-45	571907.3	5931366.9	373.2	NQ	CV5	
CV23-132	Land	374.0	158	-49	571068.0	5931148.3	374.7	NQ	CV5	
CV23-133	Land	604.8	220	-45	572646.6	5931668.7	382.6	NQ	CV5	
CV23-134	Land	331.0	158	-45	571281.9	5931163.8	379.2	NQ	CV5	
CV23-135	Land	360.6	158	-60	571171.6	5931167.9	374.9	NQ	CV5	
CV23-136	Ice	403.9	158	-45	572240.8	5931603.3	373.1	NQ	CV5	
CV23-137	Land	389.0	158	-65	571067.9	5931148.6	374.7	NQ	CV5	
CV23-138	Land	359.1	158	-60	571281.9	5931163.8	379.2	NQ	CV5	
CV23-139	Ice	565.9	158	-65	572396.1	5931617.8	372.9	NQ	CV5	
CV23-140	Ice	545.3	158	-65	572306.4	5931573.2	373.0	NQ	CV5	
CV23-141	Land	400.9	158	-60	571781.4	5931403.7	377.9	NQ	CV5	
CV23-142	Land	359.0	158	-73	571387.3	5931180.7	377.2	NQ	CV5	
CV23-143	Land	530.2	158	-45	572647.9	5931670.0	382.4	NQ	CV5	
CV23-144	Land	25.7	0	-90	570316.3	5930295.9	380.0	HQ	CV5	
CV23-145	Land	53.0	0	-90	569657.7	5930878.2	372.7	HQ	CV5	
CV23-146	Ice	416.0	158	-45	572306.4	5931573.2	373.0	NQ	CV5	
CV23-147	Land	185.0	0	-90	571121.4	5931096.9	376.0	NQ	CV5	
CV23-148	Land	332.0	158	-58	571387.4	5931180.3	377.3	NQ	CV5	
CV23-149	Land	199.7	0	-90	572122.5	5944352.1	350.9	HQ	Camp	
CV23-150	Land	302.1	0	-90	571426.9	5931160.9	376.7	NQ	CV5	
CV23-151	Ice	486.0	158	-45	572396.1	5931617.8	372.9	NQ	CV5	
CV23-152	Land	398.0	158	-47	570714.1	5931114.0	378.8	NQ	CV5	
CV23-153	Land	300.1	0	-90	571785.2	5931397.3	378.6	NQ	CV5	
CV23-154	Ice	574.9	158	-65	572487.3	5931652.3	372.9	NQ	CV5	
CV23-155	Land	24.9	0	-90	571686.6	5930748.6	379.8	HQ	CV5	
CV23-156	Land	581.3	176	-67	572647.4	5931670.4	382.6	NQ	CV5	
CV23-157	Land	278.1	0	-90	570694.6	5931128.2	379.0	NQ	CV5	
CV23-158	Land	203.0	0	-90	572137.1	5944484.5	342.3	HQ	Camp	
CV23-159	Land	50.0	0	-90	570520.0	5931135.3	375.6	HQ	CV5	
CV23-160	Land	14.0	158	-45	569567.5	5930470.9	380.4	NQ	CV5	Hole lost
CV23-160A	Land	443.0	158	-45	569567.5	5930470.9	380.4	NQ	CV5	
CV23-161	Land	360.0	158	-45	569627.6	5930449.9	384.8	NQ	CV5	
CV23-162	Ice	482.0	158	-45	572487.3	5931652.3	372.9	NQ	CV5	
CV23-163	Land	212.1	0	-90	571920.4	5944521.2	338.8	HQ	Camp	
CV23-164	Land	200.0	0	-90	570020.1	5930773.5	378.1	NQ	CV5	
CV23-165	Land	555.1	165	-60	572647.7	5931669.8	382.4	NQ	CV5	
CV23-166	Land	43.3	0	-90	569353.0	5930256.3	389.1	NQ	CV5	
CV23-166A	Land	50.0	0	-90	569353.0	5930256.3	389.1	HQ	CV5	
CV23-167	Land	25.5	0	-90	572024.6	5931654.1	374.9	HQ	CV5	
CV23-168	Ice	18.2	158	-47	571515.8	5931250.9	373.0	NQ	CV5	Hole lost
CV23-168A	Ice	388.1	158	-47	571515.8	5931250.9	373.0	NQ	CV5	
CV23-169	Land	302.0	0	-90	569733.9	5930466.5	379.2	NQ	CV5	
CV23-170	Ice	431.6	158	-45	572461.9	5931596.5	373.0	NQ	CV5	
CV23-171	Land	373.4	158	-63	569568.8	5930470.2	380.1	NQ	CV5	
CV23-172	Land	404.0	158	-45	569479.9	5930448.2	384.1	NQ	CV5	
CV23-173	Ice	516.7	158	-65	572461.9	5931596.5	373.0	NQ	CV5	
CV23-174	Land	421.7	0	-90	569992.0	5930469.4	381.0	NQ	CV5	
CV23-175	Ice	458.0	158	-57	571316.1	5931230.2	372.9	NQ	CV5	
CV23-176	Land	434.0	158	-45	569388.0	5930399.5	386.2	NQ	CV5	
CV23-177	Ice	394.7	158	-45	571453.4	5931292.5	373.0	NQ	CV5	
CV23-178	Land	473.2	158	-62	569479.8	5930448.6	384.1	NQ	CV5	
CV23-179	Ice	437.0	158	-45	572368.8	5931547.6	372.9	NQ	CV5	
CV23-180	Land	379.6	158	-60	569387.8	5930400.0	386.2	NQ	CV5	
CV23-181	Ice	354.0	158	-46	571316.2	5931230.0	372.9	NQ	CV5	
CV23-182	Land	369.0	158	-45	569295.1	5930361.6	389.4	NQ	CV5	
CV23-183	Ice	477.1	158	-65	572368.7	5931548.1	372.8	NQ	CV5	

Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CV23-184	Land	417.4	158	-45	569198.6	5930332.0	392.7	NQ	CV5	
CV23-185	Ice	425.0	158	-60	571453.3	5931292.7	372.9	NQ	CV5	
CV23-186	Land	49.6	0	-90	572596.5	5931710.3	374.2	HQ	CV5	
CV23-187	Land	287.0	158	-45	569698.8	5930420.6	381.0	NQ	CV5	
CV23-188	Land	362.0	158	-60	569294.9	5930361.9	389.3	NQ	CV5	
CV23-189	Land	287.0	158	-45	571702.0	5931318.4	380.1	NQ	CV5	
CV23-190	Land	303.3	338	-45	569596.9	5930277.1	382.2	NQ	CV5	
CV23-191	Land	308.2	170	-45	565125.9	5928034.9	432.4	NQ	CV13	
CV23-192	Land	354.0	0	-90	570330.5	5930613.3	383.4	NQ	CV5	
CV23-193	Land	250.9	0	-90	569597.2	5930276.2	381.2	NQ	CV5	
CV23-194	Land	282.0	0	-90	570802.4	5930731.5	382.1	NQ	CV5	
CV23-195	Land	308.0	0	-90	565125.7	5928035.6	432.3	NQ	CV13	
CV23-196	Land	263.0	158	-45	569599.0	5930272.7	381.3	NQ	CV5	
CV23-197	Land	254.0	158	-45	570803.1	5930728.3	382.0	NQ	CV5	
CV23-198	Land	98.0	140	-80	565126.2	5928036.0	432.4	NQ	CV13	
CV23-199	Land	261.1	0	-90	570473.2	5930744.8	376.9	NQ	CV5	
CV23-200	Land	250.9	100	-45	565128.0	5928036.2	432.4	NQ	CV13	
CV23-201	Land	385.8	158	-45	569015.1	5930242.6	390.3	NQ	CV5	
CV23-202	Land	302.0	220	-45	565054.8	5927953.3	419.4	NQ	CV13	
CV23-203	Land	374.0	158	-45	569121.0	5930244.3	396.1	NQ	CV5	
CV23-204	Land	262.9	130	-80	565057.6	5927954.3	419.2	NQ	CV13	
CV23-205	Land	353.0	158	-60	569015.0	5930242.8	390.2	NQ	CV5	
CV23-206	Land	322.8	158	-60	569120.8	5930244.6	396.1	NQ	CV5	
CV23-207	Land	278.0	140	-45	565058.1	5927953.0	419.0	NQ	CV13	
CV23-208	Land	368.0	158	-45	568937.2	5930165.2	391.0	NQ	CV5	
CV23-209	Land	434.0	158	-45	569043.4	5930314.1	384.9	NQ	CV5	
CV23-210	Land	272.0	210	-55	564875.9	5927914.8	409.7	NQ	CV13	
CV23-211	Land	425.0	158	-60	568937.1	5930165.5	391.0	NQ	CV5	
CV23-212	Water	296.0	158	-45	571736.6	5931251.3	372.7	NQ	CV5	
CV23-213	Land	209.0	200	-85	564876.6	5927915.3	409.7	NQ	CV13	
CV23-214	Land	502.1	158	-55	569043.3	5930314.3	384.7	NQ	CV5	
CV23-215	Land	215.0	150	-45	564878.4	5927914.4	409.5	NQ	CV13	
CV23-216	Land	209.1	200	-75	564841.1	5927978.0	415.4	NQ	CV13	
CV23-217	Land	329.0	158	-45	568751.3	5930093.9	390.0	NQ	CV5	
CV23-218	Land	254.1	200	-45	564841.3	5927978.6	415.4	NQ	CV13	
CV23-219	Land	380.1	158	-45	568848.3	5930136.9	394.8	NQ	CV5	
CV23-220	Water	275.0	158	-45	571824.6	5931284.7	372.2	NQ	CV5	
CV23-221	Land	218.0	0	-90	564841.4	5927979.0	415.3	NQ	CV13	
CV23-222	Land	404.0	158	-65	568751.1	5930094.6	390.1	NQ	CV5	
CV23-223	Land	428.0	158	-60	568848.3	5930137.2	394.9	NQ	CV5	
CV23-224	Land	308.0	200	-45	564748.9	5928008.0	414.1	NQ	CV13	
CV23-225	Water	452.0	158	-45	571936.0	5931267.6	372.2	NQ	CV5	
CV23-226	Land	338.0	158	-45	568706.3	5930070.7	386.7	NQ	CV5	
CV23-227	Land	237.5	200	-75	564749.1	5928009.1	414.2	NQ	CV13	
CV23-228	Land	510.0	158	-80	568847.6	5930136.7	394.7	NQ	CV5	
CV23-229	Land	254.1	200	-75	564657.3	5928047.4	412.2	NQ	CV13	
CV23-230	Water	311.0	158	-45	570172.3	5930717.7	372.7	NQ	CV5	
CV23-231	Land	359.0	158	-65	568706.0	5930071.1	386.6	NQ	CV5	
CV23-232	Water	388.9	158	-45	572029.7	5931311.9	373.4	NQ	CV5	
CV23-233	Land	179.0	200	-75	564561.0	5928082.7	411.1	NQ	CV13	
CV23-234	Land	50.0	0	-90	572118.6	5944514.8	340.1	NQ	Camp	
CV23-235	Land	203.2	200	-45	564560.9	5928082.2	411.0	NQ	CV13	
CV23-236	Land	383.1	158	-45	568615.9	5930016.6	387.6	NQ	CV5	
CV23-237	Land	49.9	0	-90	572042.1	5944459.6	341.0	NQ	Camp	
CV23-238	Land	176.2	200	-45	564466.0	5928113.6	409.4	NQ	CV13	
CV23-239	Land	50.0	0	-90	572043.2	5944575.3	337.9	NQ	Camp	
CV23-240	Land	377.0	158	-45	568637.2	5930099.9	391.5	NQ	CV5	
CV23-241	Water	418.9	158	-62	570172.4	5930717.8	372.6	NQ	CV5	
CV23-242	Land	161.0	200	-75	564466.5	5928114.2	409.4	NQ	CV13	

Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CV23-243	Land	395.0	158	-65	568615.8	5930017.1	387.4	NQ	CV5	
CV23-244	Water	313.0	158	-45	572125.2	5931345.5	372.9	NQ	CV5	
CV23-245	Land	61.6	200	-45	564339.9	5928050.1	405.0	NQ	CV13	Hole lost
CV23-245A	Land	142.9	200	-45	564339.9	5928050.1	405.0	NQ	CV13	
CV23-246	Land	431.0	0	-90	570215.1	5930649.7	382.3	NQ	CV5	
CV23-247	Land	143.0	160	-55	554192.9	5930116.9	400.6	NQ	CV9	
CV23-248	Land	466.1	158	-65	568636.9	5930100.4	391.6	NQ	CV5	
CV23-249	Land	224.0	160	-45	564934.8	5927940.8	417.2	NQ	CV13	
CV23-250	Land	116.0	200	-85	564340.5	5928051.4	405.0	NQ	CV13	
CV23-251	Water	160.9	158	-45	570938.7	5930950.0	373.2	NQ	CV5	
CV23-252	Water	281.0	158	-45	572214.3	5931370.1	372.2	NQ	CV5	
CV23-253	Land	161.1	200	-45	564619.1	5927947.5	402.2	NQ	CV13	
CV23-254	Land	203.0	250	-45	554191.4	5930116.9	400.5	NQ	CV9	
CV23-255	Land	131.2	80	-45	564936.2	5927944.4	417.7	NQ	CV13	
CV23-256	Water	296.2	158	-45	571043.3	5930964.1	372.1	NQ	CV5	
CV23-257	Land	161.0	200	-85	564619.4	5927948.4	402.2	NQ	CV13	
CV23-258	Land	296.0	0	-90	564935.3	5927944.3	417.6	NQ	CV13	
CV23-259	Land	383.0	158	-45	568550.1	5930065.0	393.5	NQ	CV5	
CV23-260	Water	260.0	158	-45	572336.8	5931379.7	372.1	NQ	CV5	
CV23-261	Land	183.5	0	-45	554180.2	5930038.0	403.8	NQ	CV9	
CV23-262	Land	245.1	0	-90	571313.5	5930901.0	377.6	NQ	CV5	
CV23-263	Land	86.0	200	-45	564434.5	5928018.3	401.2	NQ	CV13	
CV23-264	Land	206.0	0	-75	554180.1	5930037.5	403.8	NQ	CV9	
CV23-265	Water	277.9	158	-45	571134.0	5931003.5	372.3	NQ	CV5	
CV23-266	Land	127.9	300	-65	565064.9	5928000.9	429.2	NQ	CV13	
CV23-267	Land	186.0	60	-45	554183.5	5930037.4	403.8	NQ	CV9	
CV23-268	Land	417.6	158	-65	568550.3	5930064.6	393.4	NQ	CV5	
CV23-269	Land	83.0	200	-85	564434.9	5928019.4	401.6	NQ	CV13	
CV23-270	Land	119.0	200	-45	564527.9	5927979.6	404.0	NQ	CV13	
CV23-271	Land	149.2	110	-75	565068.5	5927999.1	429.0	NQ	CV13	
CV23-272	Water	97.7	158	-45	570328.8	5930856.6	372.8	NQ	CV5	Hole lost
CV23-272A	Water	410.2	158	-45	570328.8	5930856.6	372.8	NQ	CV5	
CV23-273	Land	359.0	158	-45	568457.9	5930020.1	392.5	NQ	CV5	
CV23-274	Water	226.4	158	-45	571199.9	5930974.4	372.6	NQ	CV5	
CV23-275	Land	197.1	0	-45	554125.9	5930056.2	405.0	NQ	CV9	
CV23-276	Land	182.0	140	-45	565180.4	5928160.3	441.7	NQ	CV13	
CV23-277	Land	287.0	200	-85	564528.6	5927980.6	404.1	NQ	CV13	
CV23-278	Land	212.0	60	-45	554132.2	5930058.7	404.9	NQ	CV9	
CV23-279	Water	227.7	158	-45	571250.2	5930988.5	373.1	NQ	CV5	
CV23-280	Land	209.0	200	-45	565178.1	5928159.7	441.5	NQ	CV13	
CV23-281	Land	208.6	255	-45	554480.0	5930084.1	402.8	NQ	CV9	
CV23-282	Land	184.9	70	-45	565181.4	5928163.8	441.8	NQ	CV13	
CV23-283	Land	362.0	158	-45	568526.0	5929989.7	387.7	NQ	CV5	
CV23-284	Land	155.0	165	-45	554482.6	5930081.3	403.1	NQ	CV9	
CV23-285	Water	469.9	158	-60	570328.4	5930856.8	372.8	NQ	CV5	
CV23-286	Land	95.0	200	-45	564804.5	5927873.3	402.3	NQ	CV13	
CV23-287	Water	176.0	158	-45	571336.6	5931031.0	372.8	NQ	CV5	
CV23-288	Land	314.0	0	-90	565180.8	5928163.4	441.8	NQ	CV13	
CV23-289	Land	214.9	290	-45	554519.4	5930044.6	401.5	NQ	CV9	
CV23-290	Land	443.0	158	-60	569197.2	5930336.0	392.0	NQ	CV5	
CV23-291	Water	169.2	158	-70	571336.7	5931031.4	372.3	NQ	CV5	
CV23-292	Land	389.1	158	-65	568457.4	5930020.9	392.5	NQ	CV5	
CV23-293	Land	133.9	140	-45	565325.0	5928117.9	430.8	NQ	CV13	
CV23-294	Land	170.2	200	-85	564804.9	5927874.2	402.3	NQ	CV13	
CV23-295	Land	362.9	158	-65	568526.0	5929990.0	387.7	NQ	CV5	
CV23-296	Land	278.9	235	-45	554520.4	5930042.1	401.2	NQ	CV9	
CV23-297	Water	194.0	158	-45	571682.5	5931113.0	372.5	NQ	CV5	
CV23-298	Water	440.1	158	-64	570449.3	5930831.3	372.7	NQ	CV5	
CV23-299	Land	113.1	0	-90	565324.1	5928118.8	430.9	NQ	CV13	

Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CV23-300	Land	146.2	200	-45	564715.7	5927915.2	404.2	NQ	CV13	
CV23-301	Land	113.0	140	-45	565359.3	5928206.8	435.5	NQ	CV13	
CV23-302	Land	125.0	200	-85	564716.3	5927916.3	404.2	NQ	CV13	
CV23-303	Land	290.9	158	-45	568922.1	5930064.4	395.4	NQ	CV5	
CV23-304	Land	230.1	160	-45	554525.3	5930043.3	401.3	NQ	CV9	
CV23-305	Land	149.0	200	-60	564373.9	5928148.8	408.0	NQ	CV13	
CV23-306	Land	209.0	140	-90	565358.6	5928207.5	435.6	NQ	CV13	
CV23-307	Land	357.3	285	-45	569814.2	5930403.6	382.3	NQ	CV5	
CV23-308	Water	171.2	158	-46	571479.7	5931087.4	372.9	NQ	CV5	
CV23-309	Land	79.9	200	-45	564244.9	5928082.6	404.2	NQ	CV13	
CV23-310	Land	230.1	0	-45	554249.2	5929997.8	398.4	NQ	CV9	
CV23-311	Land	421.9	140	-45	565394.5	5928309.7	414.3	NQ	CV13	
CV23-312	Land	149.0	200	-90	564373.8	5928148.9	408.1	NQ	CV13	
CV23-313	Water	371.0	158	-45	570449.7	5930830.8	372.7	NQ	CV5	
CV23-314	Water	359.0	338	-45	571479.2	5931088.9	372.1	NQ	CV5	
CV23-315	Land	308.0	80	-45	554251.7	5929995.6	398.0	NQ	CV9	
CV23-316	Land	164.0	200	-60	564278.9	5928174.3	406.9	NQ	CV13	
CV23-317	Land	431.9	338	-45	568922.9	5930067.3	395.1	NQ	CV5	
CV23-318	Land	98.0	200	-90	564245.2	5928083.3	404.0	NQ	CV13	
CV23-319	Land	149.1	200	-45	564147.1	5928113.7	400.9	NQ	CV13	
CV23-320	Land	176.1	200	-90	564279.1	5928174.7	406.9	NQ	CV13	
CV23-321	Land	252.1	158	-45	569813.6	5930404.2	381.9	NQ	CV5	
CV23-322	Land	404.1	140	-90	565393.9	5928310.4	414.9	NQ	CV13	
CV23-323	Land	143.0	200	-60	564180.4	5928212.8	411.6	NQ	CV13	
CV23-324	Land	197.2	200	-90	564147.4	5928114.3	400.9	NQ	CV13	
CV23-325	Water	238.9	158	-47	571440.8	5931045.2	372.2	NQ	CV5	
CV23-326	Land	242.1	160	-65	554297.2	5930042.8	401.0	NQ	CV9	
CV23-327	Water	386.0	158	-45	570541.7	5930871.4	372.7	NQ	CV5	
CV23-328	Land	432.0	200	-45	564057.2	5928154.3	403.9	NQ	CV13	
CV23-329	Land	277.8	310	-55	569812.8	5930405.2	381.9	NQ	CV5	
CV23-330	Land	215.1	200	-90	564180.7	5928213.2	412.1	NQ	CV13	
CV23-331	Land	423.0	158	-45	568415.4	5929988.0	395.9	NQ	CV5	
CV23-332	Land	427.9	140	-45	565421.2	5928393.4	405.5	NQ	CV13	
CV23-333	Land	287.0	0	-45	554397.0	5929909.9	382.6	NQ	CV9	
CV23-334	Land	70.38	338	-45	569813.6	5930403.6	381.9	NQ	CV5	
CV23-335	Water	263.0	158	-76	571440.5	5931063.1	372.7	NQ	CV5	
CV23-336	Land	149.0	200	-60	564091.2	5928247.1	412.0	NQ	CV13	
CV23-337	Land	427.9	338	-45	569717.2	5930368.0	382.0	NQ	CV5	
CV23-338	Water	176.0	158	-45	570761.8	5930850.3	372.9	NQ	CV5	
CV23-339	Land	158.1	200	-90	564091.5	5928247.4	412.4	NQ	CV13	
CV23-340	Water	212.0	158	-60	571760.9	5931197.6	372.9	NQ	CV5	
CV23-341	Land	212.0	40	-45	554398.7	5929909.6	383.5	NQ	CV9	
CV23-342	Water	212.0	158	-45	570631.7	5930908.8	372.8	NQ	CV5	
CV23-343	Land	194.2	200	-60	564000.8	5928282.3	408.5	NQ	CV13	
CV23-344	Land	530.2	158	-65	568415.3	5929988.4	395.9	NQ	CV5	
CV23-345	Land	374.0	255	-55	554525.9	5930045.0	402.4	NQ	CV9	
CV23-346	Land	164.1	200	-90	564057.4	5928154.8	403.8	NQ	CV13	
CV23-347	Land	230.0	158	-45	569717.7	5930367.4	382.0	NQ	CV5	
CV23-348	Land	386.0	140	-90	565420.9	5928393.8	405.3	NQ	CV13	
CV23-349	Water	133.9	158	-45	571865.8	5931191.5	373.4	NQ	CV5	
CV23-350	Land	104.0	200	-45	563965.0	5928183.6	406.1	NQ	CV13	
CV23-351	Land	164.1	200	-90	564000.9	5928282.6	408.4	NQ	CV13	
CV23-352	Land	227.0	158	-45	569626.0	5930335.2	381.7	NQ	CV5	
CV23-353	Land	137.9	200	-90	563965.1	5928184.3	406.1	NQ	CV13	
CV23-354	Land	296.0	158	-45	569536.2	5930296.9	381.9	NQ	CV5	
CV23-355	Land	245.0	200	-45	563865.2	5928215.9	401.4	NQ	CV13	
CV23-356	Land	180.7	200	-60	563906.9	5928314.1	400.8	NQ	CV13	
CV23-357	Land	328.8	158	-45	568371.0	5929961.8	392.7	NQ	CV5	
CV23-358	Land	311.2	140	-45	565552.3	5928455.0	394.9	NQ	CV13	

Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CV23-359	Land	251.1	158	-45	569443.3	5930256.2	383.8	NQ	CV5	
CV23-360	Land	140.0	200	-90	563865.5	5928216.7	401.4	NQ	CV13	
CV23-361	Land	208.8	200	-90	563907.1	5928314.9	400.7	NQ	CV13	
CV23-362	Land	356.1	338	-45	571560.3	5931009.3	373.3	NQ	CV5	
CV23-363	Land	218.0	158	-45	569347.1	5930221.6	389.4	NQ	CV5	
CV23-364	Land	401.0	158	-65	568370.8	5929962.2	392.6	NQ	CV5	
CV23-365	Land	322.9	140	-90	565551.9	5928455.4	394.9	NQ	CV13	
CV24-366	Land	489.4	158	-52	570954.3	5931181.8	376.3	NQ	CV5	
CV24-367	Land	459.2	160	-49	571374.2	5931330.7	378.5	NQ	CV5	
CV24-368	Land	493.9	158	-50	569790.2	5930721.4	375.2	NQ	CV5	
CV24-369	Land	532.7	158	-62	570253.4	5930912.1	381.3	NQ	CV5	
CV24-370	Land	511.8	158	-48	570073.6	5930820.6	381.2	NQ	CV5	
CV24-371	Land	561.9	158	-57	571477.3	5931353.1	374.7	NQ	CV5	
CV24-372	Land	487.9	158	-45	570218.9	5930863.1	375.2	NQ	CV5	
CV24-373	Land	479.2	160	-45	569832.6	5930629.6	373.0	NQ	CV5	
CV24-374	Land	470.0	158	-46	570693.3	5931027.8	373.3	NQ	CV5	
CV24-375	Land	302.1	158	-45	569251.7	5930186.6	395.0	NQ	CV5	
CV24-376	Land	583.7	158	-60	570036.0	5930779.8	377.9	NQ	CV5	
CV24-377	Land	451.9	158	-45	569911.5	5930690.1	374.0	NQ	CV5	
CV24-378	Land	493.0	158	-47	571569.3	5931385.6	374.0	NQ	CV5	
CV24-379	Land	613.9	158	-60	570693.4	5931028.3	373.3	NQ	CV5	
CV24-380	Land	559.9	158	-60	570218.9	5930863.3	374.9	NQ	CV5	
CV24-381	Land	302.1	158	-45	569160.9	5930149.9	395.0	NQ	CV5	
CV24-382	Land	506.0	158	-56	569911.6	5930690.5	373.9	NQ	CV5	
CV24-383	Land	166.0	158	-45	569002.5	5930140.8	396.8	NQ	CV5	Hole lost
CV24-383A	Land	308.0	158	-45	569003.7	5930137.6	396.3	NQ	CV5	
CV24-384	Land	545.9	158	-57	569946.9	5930739.3	376.4	NQ	CV5	
CV24-385	Land	382.9	158	-45	569148.4	5930308.3	394.3	NQ	CV5	
CV24-386	Land	552.6	158	-58	571388.7	5931175.9	376.5	NQ	CV5	
CV24-387	Land	627.9	158	-52	570307.0	5931047.4	377.0	NQ	CV5	
CV24-388	Land	515.0	158	-58	571569.1	5931386.1	374.1	NQ	CV5	
CV24-389	Land	388.2	158	-45	569443.3	5930367.7	383.5	NQ	CV5	
CV24-390	Land	620.0	158	-45	570392.4	5930967.3	379.2	NQ	CV5	
CV24-391	Land	341.0	158	-45	569214.2	5930279.5	396.6	NQ	CV5	
CV24-392	Land	633.1	165	-58	571841.1	5931393.0	377.3	NQ	CV5	
CV24-393	Land	462.3	158	-75	569003.4	5930138.0	396.2	NQ	CV5	
CV24-394	Land	575.2	158	-47	571605.9	5931299.3	377.2	NQ	CV5	
CV24-395	Land	296.1	158	-45	569280.1	5930256.9	394.0	NQ	CV5	
CV24-396	Land	357.1	140	-65	565052.7	5928112.1	434.0	NQ	CV13	
CV24-397	Land	428.0	140	-45	565424.4	5928248.6	421.7	NQ	CV13	
CV24-398	Land	431.0	158	-45	569409.3	5930473.0	374.9	NQ	CV5	
CV24-399	Ice	527.0	158	-60	570600.6	5930984.8	372.1	NQ	CV5	
CV24-400	Land	551.0	158	-52	571388.7	5931175.6	376.5	NQ	CV5	
CV24-401	Land	280.9	158	-58	572052.4	5931534.8	373.7	NQ	CV5	Hole lost
CV24-401A	Land	626.1	158	-58	572056.2	5931528.9	373.1	NQ	CV5	
CV24-402	Land	444.4	158	-75	569280.1	5930257.5	393.9	NQ	CV5	
CV24-403	Land	373.9	158	-45	569031.2	5930205.5	393.6	NQ	CV5	
CV24-404	Land	668.2	162	-59	571931.0	5931431.7	377.3	NQ	CV5	
CV24-405	Land	439.9	158	-60	571659.0	5931300.4	378.4	NQ	CV5	
CV24-406	Land	128.0	70	-55	565054.1	5928112.6	434.1	NQ	CV13	
CV24-407	Land	296.0	158	-45	569066.8	5930115.0	394.7	NQ	CV5	
CV24-408	Land	410.0	158	-45	569237.8	5930354.0	389.3	NQ	CV5	
CV24-409	Land	356.1	158	-45	569542.0	5930406.0	383.7	NQ	CV5	
CV24-410	Ice	609.0	158	-47	570507.2	5930955.1	372.0	NQ	CV5	
CV24-411	Land	356.1	310	-70	565055.0	5928114.7	434.1	NQ	CV13	
CV24-412	Land	348.4	140	-90	565423.8	5928249.4	421.5	NQ	CV13	
CV24-413	Ice	431.0	158	-62	570940.7	5931079.8	372.1	NQ	CV5	
CV24-414	Land	425.0	158	-45	569516.5	5930473.0	383.8	NQ	CV5	
CV24-415	Land	91.6	158	-45	571679.3	5931388.0	374.3	NQ	CV5	Hole lost

Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CV24-415A	Land	576.4	158	-45	571679.3	5931388.3	374.3	NQ	CV5	
CV24-416	Land	334.8	158	-45	569358.6	5930330.1	389.7	NQ	CV5	
CV24-417	Land	196.9	20	-45	565058.0	5928116.1	434.3	NQ	CV13	
CV24-418	Ice	624.4	158	-47	570600.7	5930984.1	372.1	NQ	CV5	
CV24-419	Land	595.9	165	-45	572117.8	5931509.9	372.8	NQ	CV5	
CV24-420	Land	305.0	200	-60	564988.6	5928082.2	429.5	NQ	CV13	
CV24-421	Land	475.9	140	-45	565433.9	5928165.4	416.5	NQ	CV13	
CV24-422	Land	572.8	160	-58	571955.7	5931504.0	373.3	NQ	CV5	
CV24-423	Land	110.1	158	-75	569358.5	5930330.6	389.7	NQ	CV5	Hole lost
CV24-423A	Land	329.0	158	-75	569358.9	5930329.9	389.6	NQ	CV5	
CV24-424	Land	389.0	158	-53	569615.3	5930495.5	378.1	NQ	CV5	
CV24-425	Land	209.0	200	-90	564988.8	5928082.7	429.4	NQ	CV13	
CV24-426	Ice	587.0	158	-45	571004.5	5931058.8	371.9	NQ	CV5	
CV24-427	Land	331.6	200	-60	564895.7	5928116.7	426.4	NQ	CV13	
CV24-428	Ice	543.1	158	-45	570728.4	5930940.4	372.1	NQ	CV5	
CV24-429	Land	515.2	140	-65	565433.8	5928165.9	416.3	NQ	CV13	
CV24-430	Land	361.9	158	-45	569187.9	5930215.3	397.6	NQ	CV5	
CV24-431	Land	352.9	338	-60	569800.9	5930431.0	379.5	NQ	CV5	
CV24-432	Land	278.0	200	-90	564895.9	5928117.1	426.3	NQ	CV13	
CV24-433	Ice	508.9	158	-48	570881.7	5931098.0	372.1	NQ	CV5	
CV24-434	Ice	467.8	158	-60	570507.2	5930955.1	372.0	NQ	CV5	
CV24-435	Land	502.9	158	-60	572117.8	5931509.9	372.8	NQ	CV5	
CV24-436	Land	220.9	200	-60	564799.1	5928146.2	422.6	NQ	CV13	
CV24-437	Land	433.9	158	-55	571679.2	5931388.7	374.3	NQ	CV5	
CV24-438	Ice	408.3	158	-48	571812.0	5931329.7	372.0	NQ	CV5	
CV24-439	Land	326.5	140	-45	565515.1	5928210.6	412.7	NQ	CV13	
CV24-440	Land	438.5	158	-75	569187.5	5930215.9	397.5	NQ	CV5	
CV24-441	Ice	342.2	158	-65	571004.7	5931058.3	372.0	NQ	CV5	
CV24-442	Land	299.1	158	-87	569802.0	5930429.6	379.4	NQ	CV5	
CV24-443	Ice	383.2	158	-45	570818.0	5930984.2	372.0	NQ	CV5	
CV24-444	Land	248.0	200	-90	564799.0	5928146.2	422.6	NQ	CV13	
CV24-445	Ice	295.3	158	-45	571968.9	5931339.0	371.9	NQ	CV5	
CV24-446	Land	286.6	140	-90	565514.5	5928211.3	412.6	NQ	CV13	
CV24-447	Land	308.4	130	-55	571152.3	5931101.1	375.1	NQ	CV5	
CV24-448	Land	341.9	158	-75	569802.0	5930430.0	379.4	NQ	CV5	
CV24-449	Ice	291.8	158	-62	570881.7	5931098.3	372.0	NQ	CV5	
CV24-450	Land	299.0	160	-45	569864.8	5930545.1	373.3	NQ	CV5	
CV24-451	Ice	503.0	158	-45	571771.2	5931288.6	372.0	NQ	CV5	
CV24-452	Land	505.9	145	-50	571679.5	5931388.0	374.3	NQ	CV5	
CV24-453	Land	160.9	140	-45	565199.0	5927986.7	422.8	NQ	CV13	
CV24-454	Land	209.0	200	-60	564708.5	5928185.6	421.7	NQ	CV13	
CV24-455	Ice	379.8	158	-45	570909.9	5931018.4	372.0	NQ	CV5	
CV24-456	Land	456.9	200	-55	570174.5	5930836.0	378.3	NQ	CV5	
CV24-457	Land	143.0	140	-45	565145.6	5927920.0	407.6	NQ	CV13	
CV24-458	Ice	328.0	156	-62	571968.6	5931339.6	371.9	NQ	CV5	
CV24-459	Land	314.1	296	-60	571508.9	5930921.8	374.6	NQ	CV5	
CV24-460	Ice	263.0	158	-45	571650.2	5931198.3	372.0	NQ	CV5	
CV24-461	Land	345.7	140	-45	565434.8	5928491.5	394.0	NQ	CV13	
CV24-462	Land	299.5	158	-45	569773.4	5930503.0	377.2	NQ	CV5	
CV24-463	Land	337.9	158	-45	570612.9	5930686.0	378.8	NQ	CV5	
CV24-464	Land	262.9	200	-90	564708.7	5928186.2	421.6	NQ	CV13	
CV24-465	Ice	325.0	158	-48	571877.8	5931300.2	372.1	NQ	CV5	
CV24-466	Ice	530.3	338	-45	571841.0	5931124.0	372.0	NQ	CV5	
CV24-467	Ice	539.2	158	-45	570782.1	5931075.0	372.3	NQ	CV5	
CV24-468	Ice	461.0	158	-46	571695.3	5931217.0	372.0	NQ	CV5	
CV24-469	Land	409.9	40	-60	571572.0	5930953.4	373.2	NQ	CV5	
CV24-470	Land	281.3	320	-80	565430.9	5928494.3	393.9	NQ	CV13	
CV24-471	Land	212.1	200	-60	564613.7	5928220.3	420.4	NQ	CV13	
CV24-472	Land	355.9	338	-45	570503.6	5930694.8	379.8	NQ	CV5	



Hole ID	Substrate	Total Depth (m)	Azimuth (°)	Dip (°)	Easting	Northing	Elevation (m)	Core Size	Area	Comments
CV24-473	Ice	359.0	153	-58	571514.3	5931262.1	371.9	NQ	CV5	
CV24-474	Land	223.9	159	-46	569207.2	5930170.9	396.0	NQ	CV5	
CV24-475	Ice	280.1	158	-45	572062.4	5931376.6	371.9	NQ	CV5	
CV24-476	Land	557.0	154	-55	570170.7	5930834.1	378.4	NQ	CV5	
CV24-477	Land	332.1	140	-45	565529.8	5928379.0	399.3	NQ	CV13	
CV24-478	Land	248.0	200	-90	564613.9	5928220.6	420.3	NQ	CV13	
CV24-479	Land	467.1	16	-55	570355.0	5930476.9	379.2	NQ	CV5	
CV24-480	Land	560.3	158	-65	571994.4	5931554.1	372.2	NQ	CV5	
CV24-481	Land	272.3	157	-46	569311.2	5930294.6	391.0	NQ	CV5	
CV24-482	Ice	305.0	158	-55	572062.4	5931376.0	371.9	NQ	CV5	
CV24-483	Land	185.0	200	-60	564518.5	5928253.3	414.9	NQ	CV13	
CV24-484	Land	263.2	140	-45	565645.4	5928423.4	392.3	NQ	CV13	
CV24-485	Ice	365.0	150	-45	571515.2	5931261.4	371.9	NQ	CV5	
CV24-486	Ice	299.0	156	-45	571551.6	5931169.2	372.0	NQ	CV5	
CV24-487	Land	308.1	140	-45	565807.6	5928565.2	378.9	NQ	CV13	
CV24-488	Land	197.0	160	-45	569373.9	5930278.5	390.3	NQ	CV5	
CV24-489	Land	356.0	158	-45	570204.3	5930636.1	382.0	NQ	CV5	
CV24-490	Ice	314.3	158	-47	572155.1	5931412.9	372.1	NQ	CV5	
CV24-491	Land	248.0	200	-90	564518.7	5928253.8	415.0	NQ	CV13	
CV24-492	Land	290.4	140	-45	565697.4	5928512.1	385.7	NQ	CV13	
CV24-493	Land	218.1	160	-45	569649.4	5930384.4	381.0	NQ	CV5	
CV24-494	Land	439.9	158	-60	570227.9	5930714.7	374.8	NQ	CV5	
CV24-495	Ice	230.3	158	-45	571803.4	5931216.2	372.0	NQ	CV5	
CV24-496	Land	509.0	113	-55	571529.1	5931440.2	390.7	NQ	CV5	
CV24-497	Land	230.0	200	-60	564427.0	5928280.4	409.6	NQ	CV13	
CV24-498	Land	218.0	140	-45	565467.1	5928559.6	387.9	NQ	CV13	
CV24-499	Land	176.2	320	-55	565803.9	5928569.8	379.0	NQ	CV13	
CV24-500	Land	512.1	158	-65	571932.1	5931649.5	378.7	NQ	CV5	
CV24-501	Land	46.7	155	-49	572024.8	5931469.7	377.9	NQ	CV5	Hole lost
CV24-501A	Land	403.2	155	-49	572023.6	5931471.2	374.6	NQ	CV5	
CV24-502	Land	476.5	145	-52	570360.1	5930766.7	374.0	NQ	CV5	
CV24-503	Land	533.1	160	-45	570305.6	5930884.3	372.1	NQ	CV5	
CV24-504	Land	302.4	158	-45	570181.3	5930561.3	385.0	NQ	CV5	
CV24-505	Land	581.0	158	-58	569994.1	5930753.1	376.5	NQ	CV5	
CV24-506	Land	218.2	200	-90	564427.3	5928280.9	409.6	NQ	CV13	
CV24-507	Land	187.0	0	-90	565466.6	5928560.1	387.7	NQ	CV13	
CV24-508	Land	152.0	140	-45	565710.4	5928599.6	382.2	NQ	CV13	
CV24-509	Land	425.4	157	-53	570262.4	5930743.7	373.9	NQ	CV5	
CV24-510	Land	239.0	270	-55	565458.5	5928561.1	387.8	NQ	CV13	
CV24-511	Land	200.0	200	-60	564329.6	5928311.9	413.2	NQ	CV13	
CV24-512	Land	317.0	158	-46	570054.0	5930596.6	376.9	NQ	CV5	
CV24-513	Land	171.2	320	-75	565707.2	5928604.4	381.9	NQ	CV13	
CV24-514	Land	601.3	158	-50	570459.7	5931100.8	378.2	NQ	CV5	
CV24-515	Ice	424.4	160	-58	572240.8	5931602.7	371.8	NQ	CV5	
CV24-516	Land	517.9	170	-45	572564.5	5931732.2	375.0	NQ	CV5	
CV24-517	Land	428.1	152	-56	570402.3	5930773.8	374.1	NQ	CV5	
CV24-518	Land	199.9	200	-90	564329.8	5928312.3	413.2	NQ	CV13	
CV24-519	Land	248.0	140	-45	565599.7	5928537.4	385.4	NQ	CV13	
CV24-520	Land	243.7	320	-60	565459.7	5928564.3	387.4	NQ	CV13	
CV24-521	Land	504.1	158	-45	568928.0	5930328.5	377.9	NQ	CV5	
CV24-522	Land	260.2	159	-45	570073.4	5930544.4	379.3	NQ	CV5	
CV24-523	Land	203.2	200	-60	564237.2	5928354.7	414.2	NQ	CV13	
CV24-524	Land	209.0	20	-60	565464.9	5928560.5	387.7	NQ	CV13	
CV24-525	Land	161.0	320	-75	565596.8	5928540.8	385.1	NQ	CV13	
CV24-526	Land	442.9	158	-45	569994.4	5930752.6	376.4	NQ	CV5	

(1) Coordinate system NAD83 / UTM zone 18N; (2) All drill holes are diamond drill; (3) Azimuths and dips presented are those 'planned' and may vary off collar/downhole; (4) Table includes drill holes completed in support of Project development (i.e., geotechnical, hydrogeological, and geomechanical).

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CF21-001	23.0	171.6	<b>148.7<sup>(3)</sup></b>	<b>0.92</b>	114
<i>incl.</i>	26.0	99.0	<b>73.0</b>	<b>1.09</b>	108
<i>or</i>	79.0	99.0	20.0	1.83	108
<i>incl.</i>	118.2	171.6	<b>53.4</b>	<b>1.05</b>	148
<i>or</i>	142.1	150.0	7.9	1.96	157
	179.1	182.8	3.8	0.07	102
	199.7	213.4	<b>13.7</b>	<b>1.16</b>	104
CF21-002	73.6	76.1	2.4	0.06	102
	78.9	233.0	<b>154.1<sup>(3)</sup></b>	<b>0.94</b>	118
<i>incl.</i>	124.0	162.0	<b>38.0</b>	<b>1.38</b>	160
<i>or</i>	157.0	162.0	5.0	3.91	308
<i>incl.</i>	189.0	233.0	<b>44.0<sup>(3)</sup></b>	<b>1.14</b>	104
CF21-003	22.0	81.1	<b>59.1</b>	<b>1.23</b>	194
<i>incl.</i>	27.0	60.0	<b>33.0</b>	<b>1.80</b>	264
CF21-004	38.0	101.6	63.6	0.64	231
<i>incl.</i>	41.0	71.0	<b>30.0</b>	<b>1.13</b>	180
<i>or</i>	41.0	51.0	10.0	1.69	210
<i>or</i>	90.0	101.6	11.6	0.02	447
CV22-015	27.1	75.1	48.0	0.44	76
<i>incl.</i>	27.1	32.0	4.9	1.14	96
<i>incl.</i>	51.5	58.3	<b>6.8</b>	<b>1.22</b>	113
<i>incl.</i>	70.6	75.1	4.5	0.99	105
CV22-016	89.2	210.0	120.8 <sup>(3)</sup>	0.63	114
<i>incl.</i>	91.0	120.0	<b>29.0</b>	<b>0.91</b>	127
<i>incl.</i>	134.5	147.6	<b>13.1</b>	<b>1.53</b>	137
CV22-017	162.8	235.8	<b>73.0</b>	<b>2.14</b>	145
<i>incl.</i>	165.7	185.0	19.4	1.57	148
<i>incl.</i>	190.4	231.0	<b>40.7</b>	<b>3.01</b>	160
	269.9	272.1	2.2	0.02	94
CV22-018	54.2	82.4	<b>28.2<sup>(3)</sup></b>	<b>0.94</b>	106
CV22-019	108.5	207.3	98.9	0.79	118
<i>incl.</i>	110.2	144.0	<b>33.8</b>	<b>1.17</b>	111
<i>incl.</i>	192.0	204.0	12.0	1.23	103
CV22-020	38.8	50.1	11.3	0.98	153
<i>incl.</i>	38.8	46.0	7.3	1.41	130
CV22-021	68.8	72.0	3.3	0.24	123
CV22-022	33.1	53.8	20.7	0.50	142
<i>incl.</i>	34.0	37.0	3.0	1.76	115
	77.3	80.9	3.7	0.05	61
CV22-023	117.9	120.6	2.7	0.30	51
CV22-024	45.5	66.4	<b>20.8</b>	<b>1.16</b>	132
<i>incl.</i>	46.5	65.0	<b>18.5</b>	<b>1.26</b>	121

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV22-025	22.7	85.3	<b>62.6</b>	<b>1.15</b>	154
<i>incl.</i>	61.9	72.0	10.2	2.76	341
	90.6	97.5	6.8	0.16	73
CV22-026	33.9	36.6	2.7	0.97	141
	47.1	54.8	7.6	0.26	93
	56.3	59.4	3.1	0.10	75
	71.8	147.0	75.2 <sup>(3)</sup>	0.68	151
<i>incl.</i>	73.8	103.0	<b>29.3</b>	<b>1.14</b>	156
CV22-027	37.4	51.7	14.3	0.82	146
	55.1	107.5	<b>52.4</b>	<b>0.97</b>	124
<i>incl.</i>	63.9	90.5	<b>26.6</b>	<b>1.39</b>	125
CV22-028	132.0	232.9	<b>100.9</b>	<b>1.24</b>	164
<i>incl.</i>	173.0	217.0	<b>44.0</b>	<b>2.17</b>	187
<i>or</i>	201.0	210.0	<b>9.0</b>	<b>3.62</b>	200
CV22-029	64.4	127.1	62.8	0.61	117
<i>incl.</i>	64.4	95.9	<b>31.6</b>	<b>0.95</b>	158
<i>or</i>	90.5	95.9	5.4	2.90	356
CV22-030	86.4	239.2	<b>152.8<sup>(3)</sup></b>	<b>1.22</b>	138
<i>incl.</i>	164.0	230.0	<b>66.0</b>	<b>1.51</b>	100
CV22-031	107.9	195.2	87.3	0.61	113
<i>incl.</i>	109.0	142.5	<b>33.5</b>	<b>1.25</b>	185
<i>incl.</i>	114.0	119.0	5.0	2.90	384
CV22-032	<i>No pegmatite intersected</i>				
CV22-033	19.8	25.0	5.1	0.60	146
	128.7	145.5	<b>16.8</b>	<b>1.03</b>	127
<i>incl.</i>	133.7	144.5	<b>10.8</b>	<b>1.51</b>	166
	149.3	194.7	45.4	0.20	77
CV22-034	173.5	178.9	5.4	0.79	100
	183.4	187.3	3.9	0.53	142
	237.3	255.0	17.7	0.82	56
	273.2	277.3	4.0	1.03	91
	323.1	326.7	3.6	0.30	53
CV22-035	0.8	3.3	2.5 <sup>(2)</sup>	0.62	155
	123.9	223.8	<b>100.0</b>	<b>1.22</b>	117
<i>incl.</i>	185.5	212.5	<b>27.0</b>	<b>2.53</b>	130
<i>or</i>	202.5	212.5	<b>10.0</b>	<b>3.29</b>	177
CV22-036	176.5	183.8	<b>7.3</b>	<b>2.00</b>	167
	193.1	211.3	18.2	0.17	105
	232.7	238.1	5.4	1.35	63
	249.3	252.3	3.0	0.27	70
	260.6	287.6	<b>27.0</b>	<b>1.38</b>	99
	320.8	324.0	3.1	0.06	145

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV22-037	35.6	46.1	10.6	0.63	177
<i>incl.</i>	40.0	44.2	4.2	1.21	232
	145.2	197.2	52.0 <sup>(3)</sup>	0.41	129
<i>incl.</i>	149.8	155.0	5.2	1.49	169
CV22-038	214.0	273.3	<b>59.3</b>	<b>1.42</b>	106
<i>incl.</i>	234.8	242.0	7.2	2.06	141
CV22-039	30.4	39.2	8.8	0.97	134
	138.0	178.5	40.5	0.56	158
<i>incl.</i>	141.0	151.8	<b>10.8</b>	<b>1.55</b>	244
	186.8	191.3	4.4	0.06	258
CV22-040	214.0	275.9	<b>61.9</b>	<b>1.42</b>	99
<i>incl.</i>	215.0	245.0	<b>30.0</b>	<b>2.00</b>	117
	303.6	371.6	68.0	0.87	110
<i>incl.</i>	311.0	363.0	<b>52.0</b>	<b>1.01</b>	113
	377.3	383.9	6.6	0.03	143
CV22-041	52.9	63.2	<b>10.3</b>	<b>1.42</b>	123
	163.9	201.6	37.7	0.22	257
CV22-042	54.8	59.8	5.1	0.67	340
	131.8	291.5	<b>159.7</b>	<b>1.65</b>	193
<i>incl.</i>	238.5	275.5	<b>37.0</b>	<b>3.04</b>	209
<i>or</i>	249.5	258.5	<b>9.0</b>	<b>4.12</b>	162
CV22-043	201.5	206.3	4.8	0.40	216
	258.6	262.2	3.7	1.57	62
	319.4	342.2	<b>22.7</b>	<b>1.68</b>	91
<i>incl.</i>	327.5	334.5	<b>7.0</b>	<b>3.13</b>	75
	422.9	425.1	2.2	0.01	53
CV22-044	136.0	142.7	6.7	1.89	91
	244.4	330.7	<b>86.2</b>	<b>2.13</b>	163
<i>incl.</i>	308.5	326.5	<b>18.0</b>	<b>3.07</b>	265
CV22-045	215.6	242.2	<b>26.6</b>	<b>1.26</b>	150
	266.7	268.8	2.1	0.04	215
	311.9	336.3	24.4	0.24	117
CV22-046	213.9	218.7	4.8	0.58	121
	408.7	415.1	6.4	0.23	117
	439.8	449.4	9.6	0.05	95
CV22-047	<i>No pegmatite intersected</i>				
CV22-048	181.3	228.7	<b>47.4</b>	<b>1.42</b>	88
<i>incl.</i>	188.0	209.0	<b>21.0</b>	<b>1.96</b>	105
	312.9	320.5	7.6	1.61	135
	390.1	425.8	35.7	0.67	88
<i>incl.</i>	414.0	425.8	<b>11.8</b>	<b>1.10</b>	83
	428.8	434.4	5.6	0.77	83

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV22-049	141.3	237.3	96.0	0.92	111
<i>incl.</i>	178.2	224.5	46.3	1.41	157
<i>or</i>	212.0	224.5	12.5	2.62	303
CV22-050	178.2	207.6	29.3	1.79	190
<i>incl.</i>	179.0	201.5	22.5	2.29	159
CV22-051	<i>No &gt;2 m pegmatite intersections</i>				
CV22-052	124.7	229.3	104.5	0.97	128
<i>incl.</i>	158.7	210.7	51.9	1.52	104
<i>or</i>	181.7	202.5	20.8	2.45	146
CV22-053	88.4	189.8	101.4	0.57	121
<i>incl.</i>	107.3	138.0	30.7	1.05	136
CV22-054	32.0	35.8	3.8	0.79	311
	40.6	66.0	25.4	1.31	167
	73.8	81.0	7.2	1.12	243
CV22-055	167.4	202.9	35.5	1.58	312
<i>incl.</i>	172.5	183.5	11.0	2.20	342
<i>incl.</i>	189.5	200.9	11.4	2.10	146
CV22-056	96.8	186.3	89.5	0.50	160
<i>incl.</i>	102.8	112.3	9.6	1.14	198
<i>incl.</i>	129.1	138.0	8.9	1.61	233
CV22-057	23.0	30.6	7.5	0.70	164
	41.1	56.4	15.3	1.09	92
	67.9	70.6	2.7	0.70	209
	226.0	232.1	6.2	0.01	85
CV22-058	104.9	119.9	15.0	0.25	159
	124.4	130.2	5.8	0.95	101
CV22-059	57.3	176.4	119.1	0.89	97
<i>incl.</i>	66.0	85.0	19.0	2.05	120
	304.9	319.9	15.0	1.72	148
CV22-060	29.6	53.8	24.3	1.14	164
	94.9	97.5	2.6	0.70	126
	116.7	119.2	2.5	0.32	171
CV22-061	86.8	97.4	10.6	0.63	114
CV22-062	25.3	85.3	60.0	1.52	195
<i>incl.</i>	26.0	44.0	18.0	2.16	316
	146.5	152.3	5.8	0.65	149
CV22-063	69.9	109.8	39.9	1.30	141
<i>incl.</i>	77.0	95.0	18.0	2.28	121
	174.3	189.6	15.3	0.25	88

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV22-064	77.4	119.5	<b>42.2</b>	<b>1.52</b>	300
<i>incl.</i>	80.3	102.5	<b>22.2</b>	<b>2.27</b>	209
	141.5	143.6	2.1	0.16	62
	160.5	178.3	<b>17.8</b>	<b>2.53</b>	167
	183.4	212.5	<b>29.1</b>	<b>1.21</b>	125
	215.2	219.4	4.3	0.40	237
	220.2	231.1	<b>10.9</b>	<b>1.18</b>	177
	240.5	246.7	6.2	0.05	130
	248.8	252.9	4.1	0.07	11
	313.8	321.8	8.0	0.54	77
CV22-065	7.2	42.0	34.8	0.68	197
<i>incl.</i>	16.0	30.0	<b>14.0</b>	<b>1.21</b>	161
	54.7	74.6	<b>19.9</b>	<b>1.04</b>	117
	168.6	171.5	2.9	0.30	151
CV22-066	54.1	62.9	8.7	1.24	185
	162.1	275.5	<b>113.4</b>	<b>1.61</b>	139
<i>incl.</i>	188.0	226.0	<b>38.0</b>	<b>2.17</b>	164
<i>or</i>	224.0	226.0	<b>2.0</b>	<b>6.41</b>	26
<i>incl.</i>	244.0	272.6	<b>28.6</b>	<b>2.31</b>	164
CV22-067	3.5	44.6	41.1	0.87	81
<i>incl.</i>	5.5	18.5	<b>13.0</b>	<b>1.94</b>	78
CV22-068	2.5	25.2	<b>22.7<sup>(2)</sup></b>	<b>1.45</b>	133
	188.5	191.7	3.2	0.01	70
CV22-069	56.3	61.6	5.3	0.74	327
	71.0	86.6	15.7	0.09	123
	205.8	251.0	<b>45.3</b>	<b>1.72</b>	157
<i>incl.</i>	217.0	248.0	<b>31.0</b>	<b>2.11</b>	179
	315.7	318.9	3.2	0.01	61
CV22-070	83.2	88.3	5.1	0.84	224
	163.0	194.2	<b>31.2</b>	<b>1.95</b>	147
<i>incl.</i>	181.3	190.3	9.0	2.78	106
	199.4	201.6	2.1	0.78	204
CV22-071	8.0	21.8	<b>13.8<sup>(2)</sup></b>	<b>1.12</b>	241
	96.9	101.4	4.5	0.07	284
	183.4	189.8	6.4	0.23	84
CV22-072	71.7	74.5	2.8	0.67	164
	144.5	169.2	<b>24.6</b>	<b>1.03</b>	95
	194.2	204.2	<b>10.0</b>	<b>0.99</b>	192
	344.6	354.6	10.0	0.01	72
CV22-073	445.4	451.0	5.6	0.02	123
CV22-074	82.9	85.0	2.1	0.63	271
	170.4	187.3	<b>16.9</b>	<b>2.00</b>	117
	198.9	208.1	9.2	0.04	87
	255.4	259.5	4.1	0.01	124
	288.2	290.7	2.4	0.01	84

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV22-075	96.5	137.7	<b>41.3</b>	<b>1.01</b>	104
<i>incl.</i>	99.0	111.0	<b>12.0</b>	<b>1.59</b>	122
	141.9	150.9	9.0	1.08	203
	205.9	211.2	5.3	0.39	115
	293.3	304.7	11.4	0.18	72
	331.8	334.8	3.0	0.02	59
CV22-076	14.6	18.1	3.5	0.03	109
CV22-078	46.6	49.6	3.0	0.06	80
CV22-079	37.6	42.6	5.0	0.04	121
	111.9	118.3	6.4	1.28	100
	146.5	160.8	14.3	0.41	288
	219.7	244.4	24.7	0.37	85
<i>incl.</i>	234.4	240.5	6.1	1.23	42
CV22-080	80.6	130.1	<b>49.5</b>	<b>1.33</b>	149
	204.3	208.6	4.3	0.30	90
	279.5	291.0	11.5	0.10	80
	316.2	320.1	3.9	0.01	34
CV22-083	42.7	49.0	6.3	0.98	235
	176.4	333.4	<b>156.9</b>	<b>2.12</b>	181
<i>incl.</i>	258.0	283.0	<b>25.0</b>	<b>5.04</b>	270
<i>or</i>	264.0	269.0	<b>5.0</b>	<b>6.36</b>	216
CV22-086	71.4	76.8	5.4 <sup>(3)</sup>	0.83	112
	83.4	86.2	2.8	1.00	152
CV22-087	<i>No &gt;2 m pegmatite intersections</i>				
CV22-089	88.2	92.4	4.3	0.93	93
CV22-090	77.7	80.4	2.6	0.71	103
	157.4	160.5	3.1	0.01	68
	184.1	190.6	6.5	0.04	534
	242.7	261.3	18.7	0.58	188
CV22-093	82.4	88.0	5.6	0.86	104
	99.2	109.0	9.8	0.16	136
	219.1	271.2	<b>52.2</b>	<b>3.34</b>	229
<i>incl.</i>	248.5	263.5	<b>15.0</b>	<b>5.10</b>	314
<i>or</i>	259.5	261.5	<b>2.0</b>	<b>6.17</b>	495
	332.0	334.6	2.6	0.02	110
	336.0	338.3	2.3	0.01	186
	350.1	352.4	2.3	0.52	103
	386.8	390.2	3.4	0.19	145
CV22-094	<i>No pegmatite intersected</i>				
CV22-097	114.3	123.7	<b>9.4</b>	<b>2.20</b>	257
	280.7	285.0	4.3	0.04	264
CV22-098	352.3	354.3	2.0	0.02	328
CV22-100	139.3	148.5	9.1	1.86	125
	250.8	382.0	<b>131.2</b>	<b>1.96</b>	422
<i>Incl.</i>	289.5	346.5	<b>57.0</b>	<b>2.97</b>	185
CV22-102	19.1	27.3	8.2	0.56	688
	211.8	222.3	10.4	0.13	87

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV23-105	96.7	100.7	4.0	0.28	141
	104.0	114.7	10.7	0.88	192
	222.7	306.4	<b>83.7</b>	<b>3.13</b>	235
<i>Incl.</i>	246.9	252.1	<b>5.1</b>	<b>5.17</b>	288
<i>Incl.</i>	276.0	299.8	<b>23.8</b>	<b>4.99</b>	263
<i>or</i>	280.0	299.8	<b>19.8</b>	<b>5.28</b>	283
	310.2	321.7	11.5	0.41	125
	338.0	357.2	<b>19.2</b>	<b>1.09</b>	221
	366.4	386.7	<b>20.3</b>	<b>1.28</b>	170
CV23-106	155.2	161.0	5.8	0.72	82
	274.1	406.3	<b>132.2<sup>(3)</sup></b>	<b>1.22</b>	156
<i>Incl.</i>	274.1	285.3	<b>11.2</b>	<b>2.99</b>	70
<i>Incl.</i>	300.9	306.9	6.0	2.92	374
CV23-107	195.0	198.4	3.4	0.73	101
	293.2	358.6	<b>65.4</b>	<b>1.30</b>	305
<i>Incl.</i>	306.5	343.6	<b>37.1</b>	<b>2.09</b>	271
<i>or</i>	310.0	313.0	<b>3.0</b>	<b>5.43</b>	441
	378.0	380.5	2.6	0.11	129
CV23-108	294.7	348.6	<b>54.0</b>	<b>1.55</b>	235
<i>Incl.</i>	306.9	333.5	<b>26.6</b>	<b>2.44</b>	274
<i>or</i>	317.5	322.5	<b>5.0</b>	<b>4.30</b>	260
CV23-109	91.9	94.5	2.6	0.02	252
	164.5	224.6	60.1	0.23	258
<i>Incl.</i>	216.5	223.0	6.5	0.90	407
CV23-110	125.4	130.9	5.5	0.80	123
	184.4	269.4	<b>85.0</b>	<b>1.04</b>	231
<i>Incl.</i>	185.4	224.8	<b>39.4</b>	<b>1.51</b>	177
	390.1	392.4	2.4	0.72	101
CV23-111	156.1	159.1	3.1	1.33	132
	227.7	235.7	8.0	0.47	224
	253.4	262.0	8.6	0.55	85
CV23-112	125.9	131.2	5.2	0.73	66
	205.7	239.4	33.7	0.25	243
CV23-113	195.5	198.7	3.2	0.02	59
	235.8	252.6	16.9	0.10	393
	255.3	269.2	<b>13.9</b>	<b>1.01</b>	197
CV23-114	144.9	157.6	12.7	0.85	126
	251.4	307.6	<b>56.3</b>	<b>2.34</b>	162
<i>Incl.</i>	269.2	301.7	<b>32.6</b>	<b>3.14</b>	195
<i>or</i>	288.7	299.8	<b>11.1</b>	<b>4.06</b>	287
	324.9	330.9	6.0	0.12	75
CV23-115	198.0	214.8	<b>16.9</b>	<b>1.34</b>	139
	230.6	253.1	<b>22.6</b>	<b>2.13</b>	204
<i>Incl.</i>	231.5	238.0	<b>6.5</b>	<b>3.44</b>	77
<i>Incl.</i>	249.7	251.0	<b>1.3</b>	<b>6.53</b>	79
	288.7	293.9	5.3	0.69	623
	301.3	325.1	23.8	0.90	328
CV23-116	306.8	378.8	71.9	0.78	311
<i>Incl.</i>	307.8	331.6	<b>23.8</b>	<b>1.61</b>	321



Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV23-117	188.9	200.3	11.4	1.79	222
	281.4	283.4	2.1	0.03	132
CV23-118	241.1	272.0	30.8	0.45	981
	266.1	272.0	5.9	1.55	295
CV23-119	136.8	139.7	2.9	1.39	148
	225.6	231.8	6.1	1.09	71
CV23-120	239.9	242.2	2.3	0.08	364
	245.2	320.4	75.2	0.38	305
CV23-121	104.3	112.4	8.2	0.56	115
	175.7	179.0	3.3	0.02	171
	191.5	225.3	33.9	1.98	290
	238.0	240.3	2.3	1.03	164
	245.2	277.6	32.4	2.42	107
CV23-122	199.8	203.2	3.4	0.03	142
	251.2	260.9	9.7	2.00	67
CV23-123	104.0	107.2	3.2	1.34	159
	190.9	201.3	10.4	1.09	110
CV23-124	177.5	184.0	6.5	1.20	92
	255.8	302.2	46.4	1.19	179
Incl.	259.8	276.0	16.2	2.04	138
	304.6	309.5	4.9	0.39	214
	467.1	469.7	2.5	0.05	60
	523.8	528.5	4.7	0.79	59
	577.1	588.3	11.2	0.67	101
CV23-125	450.6	480.4	29.8	0.14	181
CV23-126	<i>No pegmatite intersected, hole lost at shallow depth</i>				
CV23-127	125.7	128.5	2.8	0.48	177
	239.5	283.0	43.5	1.80	238
Incl.	255.4	264.7	9.3	3.61	190
	372.9	396.9	24.0 <sup>(3)</sup>	2.04	97
Incl.	383.1	388.6	5.5	3.16	130
CV23-128	101.5	131.4	29.9	0.51	126
Incl.	125.0	130.0	5.0	1.11	184
CV23-129	102.0	199.2	97.2	0.29	100
Incl.	161.1	173.6	12.5	1.13	146
CV23-130	145.5	246.7	101.2	1.08	152
Incl.	184.7	194.8	10.1	2.42	115
Incl.	229.3	233.3	4.0	4.13	304
CV23-131	78.4	81.7	3.3	0.76	112
	157.4	165.8	8.4	1.48	135
	179.3	194.2	14.9	0.79	125
CV23-132	145.7	154.9	9.2	0.15	247
	164.0	294.3	130.3	1.56	185
Incl.	175.6	228.4	52.7	2.45	168
Incl.	247.8	252.8	5.0	3.82	451
CV23-133	542.7	546.6	3.9	0.90	65
	550.4	554.4	3.9	0.42	153
CV23-134	6.1	8.8	2.7	0.01	67
	123.3	224.6	101.3	1.44	104
Incl.	192.3	220.4	28.1	3.00	148
or	213.2	218.3	5.2	4.69	320
CV23-135	46.0	55.0	9.0	0.15	66
CV23-136	325.6	351.2	25.6	0.82	90
Incl.	331.0	335.5	4.5	3.27	108
CV23-137	46.2	76.1	29.9 <sup>(3)</sup>	0.39	183
Incl.	47.0	50.9	3.9	1.67	287
CV23-138	4.0	7.1	3.2	0.01	67
	126.0	248.5	122.6 <sup>(3)</sup>	1.89	175
Incl.	157.1	239.1	82.0	2.58	207

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
<i>or</i>	194.7	202.8	<b>8.1</b>	<b>5.01</b>	274
<i>or</i>	228.8	239.1	<b>10.2</b>	<b>4.08</b>	344
	265.3	273.0	7.7	0.45	137
CV23-139	390.1	429.6	39.5	0.42	182
<i>Incl.</i>	401.4	405.7	4.3	1.07	269
	463.8	466.4	2.5	1.07	79
	474.3	476.3	2.0	0.08	50
CV23-140	334.8	339.6	4.8	0.17	41
	344.6	378.1	33.5	0.28	312
	389.1	400.2	11.1	0.40	171
	402.6	406.6	4.0	0.03	115
CV23-141	125.6	133.0	7.4	1.33	167
	240.3	341.5	<b>101.2</b>	<b>1.59</b>	246
<i>Incl.</i>	249.3	277.7	<b>28.5</b>	<b>4.14</b>	246
<i>or</i>	260.4	269.2	<b>8.8</b>	<b>5.20</b>	303
	362.0	378.2	<b>16.2</b>	<b>1.37</b>	140
CV23-142	169.7	193.1	23.4	0.67	152
<i>Incl.</i>	170.7	178.3	7.6	0.99	122
	289.6	294.4	4.8	1.50	99
CV23-143	392.7	397.7	5.0	0.07	108
CV23-144	<i>No pegmatite intersected</i>				
CV23-145	<i>No pegmatite intersected</i>				
CV23-146	297.5	301.0	3.5	0.42	181
	306.0	312.1	6.1	0.43	108
CV23-147	<i>No pegmatite intersected</i>				
CV23-148	137.3	232.6	<b>95.3</b>	<b>1.62</b>	147
<i>incl.</i>	182.0	229.6	<b>47.6</b>	<b>2.09</b>	143
<i>or</i>	184.0	188.1	<b>4.1</b>	<b>4.44</b>	101
CV23-150	35.8	38.7	2.9	0.18	180
CV23-151	336.8	355.0	18.2	0.36	101
	360.7	364.7	4.0	0.20	129
CV23-152	<i>No pegmatite intersected</i>				
CV23-153	<i>No pegmatite intersected</i>				
CV23-154	430.2	481.4	51.2 <sup>(3)</sup>	0.59	113
<i>incl.</i>	434.0	444.0	10.1	0.87	153
<i>incl.</i>	472.2	481.4	9.3	0.91	84
CV23-155	<i>No pegmatite intersected</i>				
CV23-156	449.4	476.9	27.5	0.40	122
<i>incl.</i>	470.5	473.7	3.2	2.22	99
CV23-157	<i>No pegmatite intersected</i>				
CV23-159	<i>No pegmatite intersected</i>				
CV23-160	<i>No pegmatite intersected, hole lost at shallow depth</i>				
CV23-160A	61.9	189.5	<b>127.7</b>	<b>1.78</b>	158
<i>incl.</i>	79.6	129.7	<b>50.1</b>	<b>2.43</b>	190
	197.1	200.2	3.1	1.39	185
	251.6	253.8	2.2	0.56	68
	326.8	330.8	4.0	0.04	165
CV23-161	37.3	42.4	5.1	1.67	956
	44.3	46.8	2.6	0.07	887
	86.5	96.1	9.6	1.39	158
	115.8	149.2	<b>33.4</b>	<b>0.87</b>	97
	153.6	166.4	<b>12.8</b>	<b>1.25</b>	112
	207.4	215.6	8.2	0.13	93
	247.3	250.5	3.3	0.44	111
CV23-162	358.3	365.0	6.7	0.79	81
CV23-164	<i>No pegmatite intersected</i>				
CV23-165	414.5	450.5	<b>36.0</b>	<b>1.36</b>	224
<i>Incl.</i>	417.6	434.6	<b>17.0</b>	<b>2.31</b>	194
<i>or</i>	417.6	419.8	<b>2.2</b>	<b>5.02</b>	169

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV23-166	<i>Not sampled as hole re-collared as CV23-166A</i>				
CV23-166A	19.1	25.2	6.2 <sup>(2)</sup>	0.65	438
CV23-167	<i>No pegmatite intersected</i>				
CV23-168	<i>No pegmatite intersected, hole lost at shallow depth</i>				
CV23-168A	182.0	239.7	<b>57.7</b>	<b>1.46</b>	184
<i>Incl.</i>	200.7	214.0	<b>13.3</b>	<b>2.65</b>	220
CV23-169	169.7	173.1	3.4	0.01	135
CV23-170	310.8	319.6	8.8	0.15	75
CV23-171	125.6	129.9	4.3	1.57	74
CV23-172	85.7	89.2	3.4	0.05	169
	106.3	174.0	67.7 <sup>(3)</sup>	0.37	146
<i>Incl.</i>	153.3	166.5	<b>13.2</b>	<b>1.14</b>	97
	185.4	188.0	2.5	2.40	103
	312.7	319.1	6.4	1.01	540
	327.2	342.8	<b>15.7</b>	<b>0.94</b>	290
CV23-173	378.5	415.9	37.4	0.34	186
<i>Incl.</i>	394.7	398.0	3.4	1.06	211
CV23-174	149.4	158.2	8.7	2.06	145
	213.5	217.5	4.1	1.30	214
	221.5	265.8	<b>44.2</b>	<b>0.99</b>	84
<i>Incl.</i>	221.5	236.9	<b>15.3</b>	<b>2.58</b>	128
	370.6	373.8	3.2	0.20	117
CV23-175	62.2	66.1	3.9 <sup>(3)</sup>	1.05	210
	69.4	74.2	4.8	1.30	264
CV23-176	90.2	128.6	<b>38.4</b>	<b>1.19</b>	148
<i>Incl.</i>	115.9	124.2	8.3	2.07	141
	164.0	171.7	<b>7.8</b>	<b>3.01</b>	143
	178.1	186.9	8.8	1.29	175
	197.6	210.0	12.4	0.71	193
	341.9	344.1	2.1	0.00	0

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV23-177	79.3	91.7	12.4	1.30	177
	175.0	290.3	115.3	1.81	162
<i>Incl.</i>	198.4	288.0	89.6	2.20	184
CV23-178	132.6	136.3	3.6	1.86	154
CV23-179	291.7	295.1	3.4	0.02	33
CV23-180	92.0	98.8	6.8	1.27	190
	102.2	105.8	3.5	1.04	204
CV23-181	60.3	68.2	7.9	0.97	81
	195.5	303.5	108.0	2.44	277
<i>Incl.</i>	255.8	293.3	37.5	3.58	337
<i>or</i>	259.5	275.5	16.0	4.08	206
	312.1	321.5	9.3	0.22	286
CV23-182	97.0	189.6	92.6	0.48	123
<i>Incl.</i>	171.9	186.7	14.8	1.06	124
	216.7	227.0	10.3	0.55	160
CV23-183	320.0	364.6	44.7	0.71	336
<i>Incl.</i>	325.5	333.5	8.0	2.64	667
CV23-184	126.9	228.3	101.5 <sup>(3)</sup>	0.86	127
<i>Incl.</i>	149.4	228.3	78.9 <sup>(3)</sup>	1.00	134
<i>or</i>	183.6	218.3	34.8	1.40	126
	341.8	349.7	7.9	0.17	679
CV23-185	96.8	106.8	9.9	2.32	101
	338.0	340.7	2.7	0.15	109
CV23-186	<i>No pegmatite intersected</i>				
CV23-187	5.0	12.0	6.0 <sup>(2)</sup>	0.73	249
	96.4	110.5	14.1	1.19	70
	120.2	125.3	5.1	1.37	147
	171.2	181.0	9.8	0.45	82
	213.0	218.3	5.4	0.01	101
CV23-188	<i>No &gt;2 m pegmatite intersections</i>				
CV23-189	47.4	50.9	3.6	1.22	255
	121.9	174.8	52.9	0.72	203
<i>Incl.</i>	158.0	166.6	8.6	1.81	224
	216.3	239.8	23.5	0.08	131
CV23-190	25.7	164.9	139.2	1.26	106
<i>Incl.</i>	66.5	84.6	18.1	2.02	113
<i>Incl.</i>	125.0	161.1	36.2	1.74	112
CV23-192	277.6	295.6	18.0	0.68	80

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV22-077	3.1	25.5	<b>22.4<sup>(2)</sup></b>	<b>1.28</b>	124
	149.5	153.3	3.8	0.01	33
CV22-081	2.8	18.3	<b>15.6<sup>(2)</sup></b>	<b>1.50</b>	113
CV22-082	26.5	35.7	<b>9.2</b>	<b>0.94</b>	123
	173.3	176.3	2.9	0.03	126
	177.9	180.2	2.3	0.01	42
CV22-084	26.9	34.3	<b>7.4</b>	<b>1.71</b>	115
	134.8	143.2	8.4	0.27	35
CV22-085	27.7	31.9	4.2	0.23	89
	167.4	175.4	<b>8.1</b>	<b>0.98</b>	60
CV22-088	28.7	34.6	5.9	0.15	188
	165.5	168.3	2.8	0.06	35
CV22-091	41.2	50.9	<b>9.7</b>	<b>1.25</b>	106
CV22-092	29.3	51.9	<b>22.6</b>	<b>1.56</b>	240
<i>Incl.</i>	44.6	50.6	<b>6.0</b>	<b>3.19</b>	270
CV22-095	25.0	28.7	<b>3.7</b>	<b>1.70</b>	107
	33.1	40.1	<b>7.0</b>	<b>1.98</b>	80
CV22-096	14.3	29.2	14.9	0.10	377
	203.8	211.8	8.0	0.24	135
CV22-099	5.5	41.5	36.0	0.11	107
	228.7	232.3	3.6	0.03	93
CV22-101	4.5	6.5	2.0	0.03	185
	8.2	41.3	33.1	0.08	97
	200.1	204.8	4.7	0.05	184
	212.8	216.8	4.0	0.03	122
CV22-103	23.8	42.6	<b>18.8</b>	<b>1.01</b>	133
<i>Incl.</i>	30.5	34.5	4.0	2.37	123
CV22-104	20.6	37.9	<b>17.3</b>	<b>1.41</b>	90
<i>Incl.</i>	22.5	30.5	8.0	2.09	134
CV23-191	73.3	86.0	<b>12.7</b>	<b>2.46</b>	147

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV23-247	<i>No &gt;2 m pegmatite intersections</i>				
CV23-254	<i>No &gt;2 m pegmatite intersections</i>				
CV23-261	51.1	58.0	<b>6.9</b>	<b>0.95</b>	115
CV23-264	48.1	51.3	3.2	0.20	138
	97.6	99.5	2.0	0.00	61
CV23-267	31.9	34.9	3.0	0.18	48
	35.4	38.2	2.8	0.18	104
	41.3	43.5	2.3	0.10	65
	58.7	63.4	<b>4.7</b>	<b>0.84</b>	102
	68.3	84.0	<b>15.7</b>	<b>0.76</b>	81
<i>Incl.</i>	70.4	81.3	<b>10.8</b>	<b>1.00</b>	79
	87.8	94.1	6.3	0.60	130
<i>Incl.</i>	89.6	93.1	<b>3.5</b>	<b>0.94</b>	86
CV23-275	<i>No &gt;2 m pegmatite intersections</i>				
CV23-278	36.2	44.2	<b>8.0</b>	<b>1.04</b>	121
CV23-281	11.2	24.0	12.8	0.28	73
	45.9	49.0	3.1	0.05	58
CV23-284	11.6	25.0	13.4	0.06	55
CV23-289	12.6	21.2	8.6	0.10	46
	61.5	63.6	2.1	0.09	59
CV23-296	18.7	25.7	7.0	0.03	43
	153.8	165.1	11.4	0.03	61
	186.8	190.7	3.8	0.01	31
	205.4	207.7	2.3	0.01	35
CV23-304	39.4	63.1	23.8	0.05	59
CV23-310	63.3	75.4	12.1	0.59	63
	76.9	94.8	17.9	0.69	90
<i>Incl.</i>	82.9	91.6	<b>8.6</b>	<b>1.03</b>	101
CV23-315	155.8	171.8	16.0	0.02	61
	186.1	262.1	76.1	0.25	43
<i>Incl.</i>	201.5	223.6	22.1	0.59	32
CV23-326	13.5	27.3	13.7	0.02	50
	31.0	68.6	37.6	0.08	57

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CF21-014	26.5	31.1	4.6	0.36	144
<i>incl.</i>	27.7	30.3	2.6	0.61	178
	44.7	47.1	2.4	0.03	98
	70.3	70.7	<b>0.4</b>	0.38	<b>5,300</b>

(1) All intervals are core length and presented for all pegmatite intervals >2 m.

Hole ID	From (m)	To (m)	Interval (m)	Li <sub>2</sub> O (%)	Ta <sub>2</sub> O <sub>5</sub> (ppm)
CV23-149	<i>No pegmatite intersected</i>				
CV23-158	<i>No pegmatite intersected</i>				
CV23-163	<i>No pegmatite intersected</i>				
CV23-234	<i>No pegmatite intersected</i>				